

## **Internal Medicine Coding Alert**

## **Reader Question: Mini-Mental Test**

**Questions:(1)** During a physical exam of a patient who presents with occasional episodes of confusion and forgetfulness, a mini-mental status exam is performed. May a code be used in addition to the appropriate level of E/M service for the test?

Visalia (CA) Medical Clinic

(2) One of our doctors does a mental assessment on patients if he thinks that they may have had a stroke, have early signs of dementia, or if they complain of confusion. Its a mini-mental check or status test, which is a set of questions with a score to assess. I cannot get this paid psychiatric diagnostic interview examination using play equipment, physical devices, language interpreter, or other mechanisms of communications). Any suggestions?

Charlottesville (VA) Family Medicine

**Answer:** Getting paid separately for a mini-mental status exam is one of the most common myths in coding folklore, says **Callaway-Stradley.** 

The exam, while clinically useful, is just a tool to perform a comprehensive neurological examination, according to the 1997 Evaluation and Management Documentation Guidelines. Therefore, performance of this service is included in the overall evaluation and management (E/M) code for the visit, she adds.

Apparently there are a number of pharmaceutical sales representatives giving these forms to primary-care physicians, selling it as a way for them to make loads of money, Callaway-Stradley says. But, its not a separate service.

If internists look closely at the form or at the exam performed by the physician, they should notice that it is basically ensuring that the patient is oriented to date, time, and place and has basic recall and calculation skills.

It is almost verbatim the bullet items from the comprehensive neurological workup from the 1997 quidelines, she says.

The entire exam will probably fall under the neurological section, explains Callaway-Stradley. Internists should remember that they get to pick whichever exam format they want, based on the patients condition. You dont always have to use the guidelines for the General Multi-System Exam just because you are the primary-care doctor.

The most common code that Stradley sees reported



erroneously for this service is 96115 (neurobehavioral status exam [clinical assessment of thinking, reasoning and judgment, e.g., acquired knowledge, attention, memory, visual spatial abilities, language functions, planning] with interpretation and report, per hour).

This code should be used when the physician performs special neurological testing, not a brief check, she continues. A clue in the code definition is that it states that it should be reported per hour, she adds. A minimental check usually takes about 10 to 20 minutes.

The mini-mental-status is a neurological exam, which includes a psychiatric component, but you are not doing any special testing, Callaway-Stradley emphasizes. What these codes (96100-96117) are about is special testing, when the physician has determined that something is wrong and needs to look further.

The other code suggested here, 90802 also is incorrect.

That is a complete psychiatric interview, Callaway-Stradley says. It is performed because the patient cannot communicate at all with the interpreter and because of that they cannot talk to the interviewer. It is used for kids or for adults who truly cannot communicate for whatever reason. You are talking about an hour-long exam. It is not a mini-mental-status exam.

In fact, according to the local coverage policy for Cahaba Government Benefits Administrators Inc., the Medicare carrier for Georgia, that code is paid only when the patient is younger than 16 years of age, or when an adult patient is incapable of communicating verbally with the physician.

Procedure 90802 is described as being used principally by child psychiatrists, psychologists and clinical social workers when they initially evaluate children who do not have the ability to interact with ordinary verbal communication the policy states. This code may also be applied to the initial evaluation of adult patients with organic mental deficits, or who are catatonic or mute.

The Interactive Medical Psychiatric Diagnostic
Interview Examination (90802) includes the same
components as the Psychiatric Diagnosis Interview
Examination, which includes history, mental status,
disposition, and other components as indicated. However,
in the interactive examination, the physician uses
inanimate objects, such as toys and dolls for a child,
physical aids and non-verbal communications to overcome
barriers to therapeutic interaction, or an interpreter for a deaf person or one who does not speak English.

Procedure code 90802 is covered for the interactive evaluations of children who are 16 years of age or younger, and of adults, who have one of the following conditions, as classified in the ICD-9-CM (1996);



295.20-295.25Schizophrenic disorders; catatonic type.

299.00Psychoses with origin specific to childhood; infantile autism, current or active state.

299.80Psychoses with origin specific to childhood; other specified childhood psychosis, borderline psychosis of childhood.

Clearly, the code is not intended for use with a brief mental status check of a patient, says Stradley.

Primary-care physicians should keep in mind that a mini-mental check does often constitute the comprehensive level of a neurological E/M exam, according to the 1997 Guidelines. If the workup was the primary service at the visit, then the physician can bill an appropriate level of E/M.