

Medical Coverage Policy | Abdominoplasty and Panniculectomy



EFFECTIVE DATE: 06|05|2006

POLICY LAST UPDATED: 04|02|2013

OVERVIEW

Panniculectomy is the surgical removal of hanging fat and skin in the abdominal area and is typically performed after major weight loss. Abdominoplasty (or tummy tuck) is a surgical procedure used to flatten the abdomen by removing extra fat and skin, and tightening the abdominal wall muscles.

PRIOR AUTHORIZATION

Prior authorization is required for Panniculectomy for BlueCHiP for Medicare and recommended for all other lines of business.

POLICY STATEMENT

Panniculectomy that does not meet the criteria below is considered not medically necessary as it is not a repair of a functional impairment.

Not Medically Necessary |

1. Panniculectomy is considered not medically necessary as an adjunct to other medically necessary procedures such as, but not limited to, hysterectomy, and/or incisional or ventral hernia repair unless the above medical criteria are met. It must also represent a distinct procedure to be reported.
2. Panniculectomy solely for the correction of low-back pain is considered not medically necessary, since the cause of low back pain in most individuals is multi-factorial and the primary cause may not be the abdominal panniculus.

Abdominoplasty |

1. BlueCHiP for Medicare: Abdominoplasty is considered a cosmetic procedure and is not performed to correct a functional impairment. Medicare does not cover cosmetic procedures.
2. All other plans: Abdominoplasty is a contract exclusion as it is always considered to be a cosmetic procedure.

MEDICAL CRITERIA

Panniculectomy is considered medically necessary when **ALL** the following criteria are met:

1. The panniculus hangs below the level of the pubis (photo documented); and
2. The patient has experienced a significant weight loss of 100 or more pounds, has been at a stable weight for at least six months and, if the patient has had bariatric (weight loss) surgery, the patient is 18 months post-operative; and
3. Patient has history (documented with office visit records) of recurrent rashes or non-healing ulcers that have not responded to conventional treatment (e.g., topical antifungals; topical and/or systemic corticosteroids; and/or local or systemic antibiotics) for a period of three months; and

4. Demonstrated difficulty with ambulation or interference with activities of daily living (documented).

BACKGROUND

Panniculectomy |

A panniculectomy is the surgical removal of hanging fat and skin in the abdominal area and is typically performed after major weight loss. Folds of skin may cause chafing, which may lead to skin infections (e.g., folliculitis, dermatitis, subcutaneous abscesses). The panniculus may interfere with personal hygiene, proper fitting of clothing, impair ambulation, and may also be associated with back pain. Panniculectomy is considered medically necessary when the below medical criteria has been met, all other instances are considered cosmetic as they are not performed for correction of a functional impairment.

Abdominoplasty |

An abdominoplasty (or tummy tuck) is a surgical procedure used to flatten the abdomen by removing extra fat and skin, and tightening the abdominal wall muscles. Abdominoplasty is always considered cosmetic as it is not performed for functional effects.

COVERAGE

Benefits may vary between groups/contracts. Please refer to the appropriate Evidence of Coverage, Subscriber Agreement, Benefit Booklet for surgery benefit/coverage.

CODING

The following code is **covered** when the criteria listed above is met:

15830

The following code is considered cosmetic and is a **contract exclusion**:

+15847

RELATED POLICIES

Not applicable.

PUBLISHED

Provider Update	Jun 2013
Provider Update	Apr 2012
Provider Update	May 2011
Provider Update	Jun 2010
Provider Update	Apr 2009
Provider Update	Apr 2008
Policy Update	Apr 2007
Policy Update	Jul 2006

REFERENCES

Not applicable. American Society of Plastic Surgeons, "Practice Parameter: Abdominoplasty and Panniculectomy," Sep 2005.

Arthurs ZM, Cuadrado D, Sohn V, et al. Post-bariatric panniculectomy: pre-panniculectomy body mass index impacts the complication profile. American Journal of Surgery;2007 May;193(5):567-70.

Gmür RU, Banic A, Erni D. Is it safe to combine abdominoplasty with other dermolipectomy procedures to correct skin excess after weight loss? Annals of Plastic Surgery;2003 Oct;51(4):353-7.

Hensel JM, Lehman JA Jr., Tantri MP, Parker MG, Wagner DS, Topham NS. An outcomes analysis and satisfaction survey of 199 consecutive abdominoplasties. *Annals of Plastic Surgery*;2001 Apr;46(4):357-63.

Igwe D, Stanczyk M, Lee H, Felahy B, Tambi J, Fobi MA. Panniculectomy adjuvant to obesity surgery. *Obesity Surgery*;2000 Dec;10(6):530-9.

Ramirez OM. Abdominoplasty and abdominal wall rehabilitation: A Comprehensive Approach. *Plastic and Reconstructive Surgery*;2000; 1005(1)

CLICK THE ENVELOPE ICON BELOW TO SUBMIT COMMENTS

This medical policy is made available to you for informational purposes only. It is not a guarantee of payment or a substitute for your medical judgment in the treatment of your patients. Benefits and eligibility are determined by the member's subscriber agreement or member certificate and/or the employer agreement, and those documents will supersede the provisions of this medical policy. For information on member-specific benefits, call the provider call center. If you provide services to a member which are determined to not be medically necessary (or in some cases medically necessary services which are non-covered benefits), you may not charge the member for the services unless you have informed the member and they have agreed in writing in advance to continue with the treatment at their own expense. Please refer to your participation agreement(s) for the applicable provisions. This policy is current at the time of publication; however, medical practices, technology, and knowledge are constantly changing. BCBSRI reserves the right to review and revise this policy for any reason and at any time, with or without notice. Blue Cross & Blue Shield of Rhode Island is an independent licensee of the Blue Cross and Blue Shield Association.

