



Cigna Medical Coverage Policy

Effective Date 2/15/2014
Next Review Date 2/15/2015
Coverage Policy Number 0441

Subject **Outpatient Acute Rehabilitation**

Table of Contents

Coverage Policy	1
General Background	3
Coding/Billing Information	4
References	6

Hyperlink to Related Coverage Policies

[Cognitive Rehabilitation](#)
[Inpatient Acute Rehabilitation](#)
[Occupational Therapy](#)
[Physical Therapy](#)
[Speech Therapy](#)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna companies. Coverage Policies are intended to provide guidance in interpreting certain **standard** Cigna benefit plans. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document **always supersedes** the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations. Proprietary information of Cigna. Copyright ©2014 Cigna

Coverage Policy

In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations.

Under many benefit plans, coverage for outpatient acute rehabilitation is subject to the terms, conditions and limitations of the applicable benefit plan's Short Term Rehabilitative Therapy benefit and schedule of copayments. Please refer to the applicable benefit plan document to determine benefit availability and the terms, conditions and limitations of coverage.

Many benefit plans have exclusion language and/or limitations that impact coverage of outpatient acute rehabilitation, including any or all of the following:

- A maximum allowable outpatient acute rehabilitation benefit for duration of treatment or number of visits. When this is present and the maximum allowable benefit is exhausted, coverage will no longer be provided even if the medical necessity criteria described below are met.
- Occupational therapy is covered only when provided for the purpose of enabling the individual to perform activities of daily living.
- Specific coverage exclusions for rehabilitative services for learning disabilities, developmental delays, autism, and mental retardation and/or for that which is not restorative in nature.

- **Specific coverage exclusions for maintenance or preventive care consisting of routine, long-term, or non-medically necessary care provided to prevent recurrences or to maintain the individual's current status.**

Under many benefit plans formerly administered by Great-West Healthcare the following conditions of coverage apply:

- **Physical, occupational and speech therapy services are covered only when the services are expected to result in significant clinical improvement within two months.**
- **Physical therapy is only covered when the services are performed to restore function and prevent disability following acute disease, injury or loss of body part.**
- **Occupational therapy is only covered to attain the maximum level of physical and psychosocial independence following acute disease, injury, condition, or loss of body part.**
- **Speech therapy is covered only for the restoration of speech due to impairment following acute injuries, disease or conditions.**

If coverage is available for outpatient acute rehabilitation, the following conditions of coverage apply.

Cigna covers an outpatient acute rehabilitation evaluation as medically necessary for the assessment of a physical impairment.

Cigna covers a prescribed course of outpatient acute rehabilitation as medically necessary when ALL of the following criteria are met:

- The individual requires comprehensive, coordinated, skilled rehabilitation treatment from a multidisciplinary team consisting of at least two therapies (e.g., physical therapy, occupational therapy, speech therapy).
- The individual is medically stable and is capable and willing to participate in intensive therapy for several hours per day, three to five days per week.
- The rehabilitation program is designed to improve or compensate for lost or impaired functions.
- The rehabilitation program is expected to result in significant therapeutic improvement over a clearly defined period of time.
- The rehabilitation program is individualized, and documentation outlines quantifiable, attainable treatment goals.
- Rehabilitation is not required in an inpatient rehabilitation facility due to BOTH of the following conditions:
 - The individual does not require 24-hour-a-day access to a registered nurse with specialized training in rehabilitation care.
 - The individual does not require frequent rehabilitation team assessment and/or intervention due to the potential risk of significant change in physical or medical status.
- For a child, the treatment plan includes active participation/involvement of a parent or guardian

Note: Continued coverage for outpatient acute rehabilitation requires regular documentation supporting significant progress toward treatment goals.

Cigna covers intensive rehabilitation in the home when the above criteria are met and the individual meets medical necessity criteria for care to be provided in the home. Under many benefit plans, coverage for outpatient multidisciplinary rehabilitation provided in the home setting is generally subject to the terms, conditions and limitations of the applicable benefit plan's Short Term Rehabilitative Therapy benefit and schedule of copayments.

Cigna does not cover outpatient acute rehabilitation under ANY of the following circumstances because it is either considered not medically necessary when used for these indications or because it is excluded from many benefit plans:

- when the individual's condition is such that it would be medically appropriate to receive services in a less intensive setting (e.g., nonacute outpatient program, home)

- when coordinated multidisciplinary care is not provided or required
- when documentation in the medical record does not support the need for outpatient acute rehabilitation
- treatment provided to prevent or slow deterioration in function or prevent reoccurrences
- treatment intended to improve or maintain general physical condition
- long-term rehabilitative services when significant therapeutic improvement is not expected
- services for the purpose of enhancing job, school or athletic performance, or for recreation

Cigna does not cover outpatient acute rehabilitation for ANY of the following because each is considered nonmedical, educational, or training in nature and thus is not medically necessary. In addition, these programs are specifically excluded under many benefit plans:

- work hardening programs
- vocational rehabilitation programs and any programs with the primary goal of returning an individual to work
- group outpatient acute rehabilitation

General Background

Outpatient acute rehabilitation provides intense multidisciplinary services to restore or enhance function post-injury or illness. While services are based on the assessment of each individual patient's needs, the services should be medically necessary to help patients achieve the skills required to return to their maximum level of functional independence. Furthermore, while initiation and intensity of therapy varies for each medical condition, patients who are not medically stable are not considered candidates for rehabilitative care. Outpatient acute services may be provided in a freestanding rehabilitation hospital, a comprehensive outpatient rehabilitation facility (CORF), or an acute care hospital. When medically necessary, rehabilitation may also be provided in the home setting as an alternative to outpatient acute rehabilitation. This type of rehabilitation provides a multidisciplinary approach to improving the functional skills necessary to perform daily activities while in the patient's own environment (i.e., home). Multidisciplinary rehabilitation provided in the home may be beneficial to a patient who requires both home care and an intense multidisciplinary approach to rehabilitation.

Outpatient acute services are an alternative to acute inpatient rehabilitation, and may be referred to as partial hospital day treatment programs, or day rehabilitation programs. These services are provided to patients who require intense multidisciplinary treatment but not 24-hour care. The program enables the patient to live at home while maintaining access to an interdisciplinary team and rehabilitative equipment. Typically, the patient spends several hours, three to five days per week, in an outpatient acute or hospital day program. Intense outpatient rehabilitative programs require the patient's independent transportation to and from the facility, unless provided in a home setting.

Admission to a program is dependent on the patient's clinical needs. The services provided should be accepted as standards of medical practice that are specific and effective treatment for the condition, and should be provided at a level of complexity that requires it be performed by a qualified therapist, or the patient's condition requires the skills of a therapist, and there is expectation of improvement over a reasonable amount of time.

Rehabilitation Team and Available Services

The multidisciplinary team includes members such as physical therapists, occupational therapists, and speech-language therapists in addition to rehabilitation nurses and social workers. During intense outpatient rehabilitation, the rehabilitation services are provided at a single location in a coordinated fashion. The overall goal is to help the physically or cognitively impaired to achieve or regain their maximum functional potential for mobility, self-care and independent living, although not necessarily complete independence. The available services involve a comprehensive multidisciplinary team approach of providing skilled rehabilitation, which may include any of the following services:

- Physician services
- Physical therapy
- Social or psychological services
- Occupational therapy

- Speech therapy
- Respiratory therapy
- Prosthetic and orthotic services
- Nursing services

Rehabilitative care services are determined by the patient's functional needs and the availability of resources. Documentation provided in the patient's medical record should support medical necessity and should include relevant medical history, including the patient's rehabilitation potential and prior level of function, physical examination, and results of pertinent diagnostic test or procedures. In addition, the documentation should reflect the ongoing assessment and necessary adjustments to plan of care.

Current functional status and measurable goals individualized to the needs and abilities of the patient should be part of the plan of care. The patient's progress toward established goals should be reviewed at least weekly and should include objective measurements (e.g., functional independence measure [FIM] scores) as well as a clinical narrative which demonstrates functional improvement and progress toward attainable treatment goals as a result of the therapy provided. Conflicting documentation between disciplines, widely fluctuating patient abilities, or failure to progress as planned should be explained and a realistic plan to address the problem identified. The plan of care should also include documentation of discharge plans.

Physician Referral

In order for a patient to receive outpatient acute rehabilitation services, the patient should be under the care of a physician who certifies that the patient needs and can tolerate a program of intensive skilled rehabilitation. In addition, the physician should furnish a detailed treatment plan constructed after consultation with the treating physical therapist(s), occupational therapist(s), nurse(s), and/or speech-language therapist(s). The treatment plan should include the patient's diagnosis, the type, amount, duration and frequency of the skilled rehabilitation services being proposed and established goals. The treatment plan should provide adequate detail on the specific need for the skilled service and of the potential benefit the patient will receive. Documentation should reflect active involvement of each discipline, as well as a coordinated team approach in order to meet individualized patient goals. The treatment plan should be reviewed at least weekly and should document progress toward the established goals. Once established goals for treatment have been met, or when there is no further progress, intense outpatient rehabilitation therapy is no longer medically necessary.

Literature Review

Rehabilitation interventions are considered clinically appropriate for conditions that result in functional impairment such as stroke, musculoskeletal disorders, amputations, hip fractures, cardiac conditions and pulmonary conditions. Evidence in the published scientific literature does not demonstrate superiority of one type of rehabilitative setting over another. However, in general, published studies do support improved functional outcomes with an organized multidisciplinary approach to rehabilitative care (Centers for Disease Control and Prevention, 2007; Khan, et al., 2007; Ashworth, et al., 2005; Turner-Stoles, et al., 2005). The patient's medical stability and intensity of rehabilitative needs are the most important determinants for the appropriate choice of rehabilitation setting.

Use Outside of the US: No relevant information found.

Summary

Outpatient acute rehabilitation provides comprehensive, multidisciplinary services to restore or enhance function post-injury or illness for patients who do not require 24-hour care. Organized, multidisciplinary rehabilitative care has been shown to improve functional outcomes in selected groups of patients. Evidence in the peer-reviewed, scientific literature suggests that early identification of rehabilitation needs and early start of rehabilitation services can reduce health-care costs, length of stay and disability for some patients; however, the evidence does not support the superiority of one type of setting over another. The intensity of rehabilitation care is dependent upon the patient's individual rehabilitative needs and medical stability.

Coding/Billing Information

Note: 1) This list of codes may not be all-inclusive.

2) Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement.

Covered when medically necessary:

CPT®* Codes	Description
92506	Evaluation of speech, language, voice, communication and/or auditory processing (Code deleted 12/31/2013)
92507	Treatment of speech, language, voice, communication, and/or auditory processing disorder; individual
97001	Physical therapy evaluation
97002	Physical therapy re-evaluation
97003	Occupational therapy evaluation
97004	Occupational therapy re-evaluation
97010	Application of a modality to 1 or more areas; hot or cold packs
97012	Application of a modality to 1 or more areas; traction, mechanical
97014	Application of a modality to 1 or more areas; electrical stimulation (unattended)
97016	Application of a modality to 1 or more areas; vasopneumatic devices
97018	Application of a modality to 1 or more areas; paraffin bath
97022	Application of a modality to 1 or more areas; whirlpool
97024	Application of a modality to 1 or more areas; diathermy (eg,microwave)
97026	Application of a modality to 1 or more areas; infrared
97028	Application of a modality to 1 or more areas; ultraviolet
97032	Application of a modality to 1 or more areas; electrical stimulation (manual), each 15 minutes
97033	Application of a modality to 1 or more areas; iontophoresis, each 15 minutes
97034	Application of a modality to 1 or more areas; contrast baths, each 15 minutes
97035	Application of a modality to 1 or more areas; ultrasound, each 15 minutes
97036	Application of a modality to 1 or more areas; Hubbard tank, each 15 minutes
97110	Therapeutic procedure, one or more areas, each 15 minutes; therapeutic exercises to develop strength and endurance, range of motion and flexibility
97112	Therapeutic procedure, one or more areas, each 15 minutes; neuromuscular reeducation of movement, balance, coordination, kinesthetic sense, posture, and/or proprioception for sitting and/or standing activities
97113	Therapeutic procedure, one or more areas, each 15 minutes; aquatic therapy with therapeutic exercises
97116	Therapeutic procedure, one or more areas, each 15 minutes; gait training (includes stair climbing)
97124	Therapeutic procedure, one or more areas, each 15 minutes; massage, including effleurage, petrissage and/or tapotement (stroking, compression, percussion)
97140	Manual therapy techniques (eg, mobilization/ manipulation, manual lymphatic drainage, manual traction), one or more regions, each 15 minutes
97530	Therapeutic activities, direct (one-on-one) patient contact (use of dynamic activities to improve functional performance), each 15 minutes
97535	Self-care/home management training (eg, activities of daily living (ADL) and compensatory training, meal preparation, safety procedures, and instructions in use of assistive technology devices/adaptive equipment) direct one-on-one contact by provider, each 15 minutes
97542	Wheelchair management (eg, assessment, fitting, training), each 15 minutes
97750	Physical performance test or measurement (eg, musculoskeletal, functional capacity), with written report, each 15 minutes
97755	Assistive technology assessment (eg, to restore, augment or compensate for existing function, optimize functional tasks and/or maximize environmental accessibility), direct one-on-one contact, with written report, each 15 minutes

97760	Orthotic(s) management and training (including assessment and fitting when not otherwise reported), upper extremity (s), lower extremity(s) and/or trunk, each 15 minutes
97761	Prosthetic training, upper and/or lower extremity(s), each 15 minutes

HCPCS Codes	Description
G0129	Occupational therapy services requiring the skills of a qualified occupational therapist, furnished as a component of a partial hospitalization treatment program, per session (45 minutes or more)
G0151	Services performed by a qualified physical therapist in the home health or hospice settings, each 15 minutes
G0152	Services performed by a qualified occupational therapist in the home health or hospice settings, each 15 minutes
G0153	Services performed by a qualified speech and language pathologist in the home health or hospice settings, each 15 minutes
S9128	Speech therapy, in the home, per diem
S9129	Occupational therapy, in the home, per diem
S9131	Physical therapy; in the home, per diem
S9152	Speech therapy, re-evaluation

Not Medically Necessary/Not Covered:

CPT* Codes	Description
92508	Treatment of speech, language, voice, communication, and/or auditory processing disorder; group, 2 or more individuals
97005	Athletic training evaluation
97006	Athletic training re-evaluation
97150	Therapeutic procedure(s), group (2 or more individuals)
97537	Community/work reintegration training (eg, shopping, transportation, money management, avocational activities and/or work environment/modification analysis, work task analysis, use of assistive technology device/adaptive equipment), direct one-on-one contact by provider, each 15 minutes
97545	Work hardening/conditioning; initial 2 hours
97546	Work hardening/conditioning; each additional hour (List separately in addition to code for primary procedure)

HCPCS Codes	Description
G0159	Services performed by a qualified physical therapist, in the home health setting, in the establishment or delivery of a safe and effective therapy maintenance program, each 15 minutes
G0160	Services performed by a qualified occupational therapist, in the home health setting, in the establishment or delivery of a safe and effective therapy maintenance program, each 15 minutes
G0161	Services performed by a qualified speech-language pathologist, in the home health setting, in the establishment or delivery of a safe and effective therapy maintenance program, each 15 minutes
S8990	Physical or manipulative therapy performed for maintenance rather than restoration
S9117	Back school, per visit

*Current Procedural Terminology (CPT®) ©2013 American Medical Association: Chicago, IL.

References

1. Ashworth NL, Chad KE, Harrison EL, Reeder BA, Marshall SC. Home versus center based physical activity programs in older adults. The Cochrane Database of Systematic Reviews. In: The Cochrane Library. 2005 Issue 4. Copyright © 2005 The Cochrane Collaboration.
2. Beers MH, Berkow R, Bogin RM, Fletcher AJ. Rehabilitation. The Merck Manual of Diagnosis and Therapy. 17th edition. Merck Research Laboratories. Division of Merck and Co. Inc. Whitehouse Station, N.J. Copyright © 1999 Merck & Co., Inc. Chapter 291.
3. Binder EF, Brown M, Sinacore DR, et al. Effects of extended outpatient rehabilitation after hip fracture: a randomized controlled trial. *JAMA*. 2004 Aug 18;292(7):837-46.
4. Centers for Disease Control and Prevention (CDC). Outpatient rehabilitation among stroke survivors-- 21 States and the District of Columbia, 2005. *MMWR Morb Mortal Wkly Rep*. 2007 May 25;56(20):504-7.
5. Centers for Medicare and Medicaid Services (CMS). Medicare benefit policy manual. Chapter 12. Comprehensive outpatient rehabilitation facility (CORF) coverage. (Rev 111, 09-25-09). Accessed January 6, 2014. Available at URL address: <http://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Internet-Only-Manuals-IOMs-Items/CMS012673.html>
6. Centers for Medicare and Medicaid Services (CMS). Medicare benefit policy manual. Chapter 15. Covered medical and other health services. 220-Coverage of outpatient rehabilitation (physical therapy, occupational therapy, speech-language pathology services) under medical insurance. Revised May 2013. Accessed January 6, 2014. Available at URL address: <http://www.cms.gov/Regulations-and-Guidance/Guidance/Manuals/Internet-Only-Manuals-IOMs-Items/CMS012673.html>
7. Cicerone KD, Mott T, Azulay J, Friel JC. Community integration and satisfaction with functioning after intensive cognitive rehabilitation for traumatic brain injury. *Arch Phys Med Rehabil*. 2004 Jun;85(6):943-50.
8. Duncan PW, Zorowitz R, Bates B, et al. Management of Adult Stroke Rehabilitation Care: a clinical practice guideline. *Stroke*. 2005 Sep;36(9):e100-43.
9. Guzman J, Esmail R, Karlalainen K, Malmivaara A, Irvin E, Bombarider C. Multidisciplinary bio-psychosocial rehabilitation for chronic low-back pain. The Cochrane Database of Systematic Reviews. In: The Cochrane Library. 2005 Issue 4. Copyright © 2005 The Cochrane Collaboration.
10. Hoenig HM. Rehabilitation and assistive devices. In: Duthrie EH, Katz PR, editors: *Practice of Geriatrics*, 4th ed. Copyright © 2007 W. B. Saunders Company. Ch 15.
11. Karjalainen K, Malmivaara A, van Tulder M, et al. Multidisciplinary biosychosocial rehabilitation for subacute low-back pain among working age adults. In: The Cochrane Library 2007 Issue 4. Copyright © 2007 The Cochrane Collaboration.
12. Khan F, Turner-Stokes L, Ng L, Kilpatrick T. Multidisciplinary rehabilitation for adults with multiple sclerosis. The Cochrane Database of Systematic Reviews. In: The Cochrane Library 2000 Issue 3. Copyright © 2007 The Cochrane Collaboration.
13. McClelland M, Chawla LS, Junker CD. Acute rehabilitation facilities. In: Irwin RS, Rippe JM, editors. *Irwin and Rippe's Intensive Care Medicine*. Copyright © 2003 Lippincott Williams & Wilkins. Chapter 214.
14. Outpatient Service Trialists. Therapy-based rehabilitation for stroke patients at home. . The Cochrane Database of Systematic Reviews. In: The Cochrane Library 2003 Issue 1. Copyright © 2007 The Cochrane Collaboration.

15. Ponsford J, Harrington H, Olver J, Roper M. Evaluation of a community-based model of rehabilitation following traumatic brain injury. *Neuropsychol Rehabil*. 2006 Jun;16(3):315-28.
16. Sarajuuri JM, Kaipio ML, Koskinen SK, Niemela MR, Servo AR, Vilkki JS. Outcome of a comprehensive neurorehabilitation program for patients with traumatic brain injury. *Arch Phys Med Rehabil*. 2005 Dec;86(12):2296-302.
17. Shah MV. Rehabilitation of the older adult with stroke. *Clin Geriatr Med*. 2006 May;22(2):469-89, xi.
18. Stucki G, Stier-Jarmer M, Grill E, Melvin J. Rationale and principles of early rehabilitation care after an acute injury or illness. *Disabil Rehabil*. 2005 Apr;22(7-8):3539.
19. Turner-Stokes L, Disler PB, Nair A, Wade DT. Multi-disciplinary rehabilitation for acquired brain injury in adults of working age. *The Cochrane Database of Systematic Reviews*. In: *The Cochrane Library*. 2005 Issue 4. Copyright © 2007 The Cochrane Collaboration.
20. Walsh MB, Herbold J. Outcome after rehabilitation for total joint replacement at IRF and SNF. *Am J Phys Med Rehabil*. 2006 Jan;85(1):1-5.
21. Ward D, Severs M, Dean T, Brooks N. Care home versus hospital and own home environments for rehabilitation of older people (Cochrane Review). In: *The Cochrane Library*, Issue 3, 2004. Oxford: Update Software.
22. Warshaw GA. Rehabilitation and the aged. In: Gallo JJ, Busby-Whitehead J, Rabins PV, Sillman RA, Murphy JB, editors. *Reichel's Care of the Elderly*. Copyright ©1999 Lippincott Williams and Williams. Ch 21.

The registered marks "Cigna" and the "Tree of Life" logo are owned by Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries and not by Cigna Corporation. Such operating subsidiaries include Connecticut General Life Insurance Company, Cigna Health and Life Insurance Company, Cigna Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of Cigna Health Corporation.