

(20129)

Medical Benefit		Effective Date: 10/01/11	Next Review Date: 05/15
Preauthorization	No	Review Dates: 11/08, 09/09, 09/10, 07/11, 07/12, 05/13, 05/14	

*The following Protocol contains medical necessity criteria that apply for this service. It is applicable to Medicare Advantage products unless separate Medicare Advantage criteria are indicated. If the criteria are not met, reimbursement will be denied and the patient cannot be billed. **Preauthorization is not required.** Please note that payment for covered services is subject to eligibility and the limitations noted in the patient's contract at the time the services are rendered.*

Description

Biofeedback is a technique intended to teach patients self-regulation of certain physiologic processes not normally considered to be under voluntary control. Biofeedback is frequently used in conjunction with other therapies (e.g., relaxation, behavioral management, medication) to reduce the severity and/or frequency of headaches.

Background

Biofeedback involves the feedback of a variety of types of information not normally available to the patient, followed by a concerted effort on the part of the patient to use this feedback to help alter the physiological process in some specific way. Biofeedback training is done either in individual or group sessions, alone, or in combination with other behavioral therapies designed to teach relaxation. A typical program consists of 10 to 20 training sessions of 30 to 60 minutes each. Training sessions are performed in a quiet, non-arousing environment. Subjects are instructed to use mental techniques to affect the physiologic variable monitored, and feedback is provided for successful alteration of the physiologic parameter. This feedback may be signals such as lights or tone, verbal praise, or other auditory or visual stimuli.

The various forms of biofeedback differ mainly in the nature of the disease or disorder under treatment, the biologic variable that the individual attempts to control, and the information that is fed back to the individual. Biofeedback techniques include peripheral skin temperature feedback, blood-volume-pulse feedback (vasoconstriction and dilation), vasoconstriction training (temporalis artery), and electromyographic (EMG) biofeedback; these may be used alone or in conjunction with other therapies (e.g., relaxation, behavioral management, medication). In general, EMG biofeedback is used to treat tension headaches. With this procedure, electrodes are attached to the temporal muscles, and the patient attempts to reduce muscle tension. Feedback on achievement of a decrease in muscle tension is provided to the individual, reinforcing those activities (behaviors or thoughts) that are effective. Thermal biofeedback, in which patients learn to increase the temperature of their fingertips through the use of imagery and relaxation, is a commonly employed technique for migraine headaches. In this technique a temperature sensor is placed on the finger, and the subject is taught to increase peripheral vasodilation by providing feedback on skin temperature, an effect that is mediated through sympathetic activity. The combination of thermal biofeedback and relaxation training has also been used to improve migraine symptoms. The pulse amplitude recorded from the superficial temporal artery has also been used to provide feedback. Temporal pulse amplitude biofeedback has been used to treat both chronic tension type headaches and migraine headaches.

Regulatory Status

A variety of biofeedback devices are cleared for marketing through the U.S. Food and Drug Administration (FDA) 510(k) process. These devices are designated by the FDA as class II with special controls and are exempt from the premarket notification requirements. The FDA defines a biofeedback device as “an instrument that provides a visual or auditory signal corresponding to the status of one or more of a patient’s physiological parameters (e.g., brain alpha wave activity, muscle activity, skin temperature, etc.) so that the patient can control voluntarily these physiological parameters.”

Related Protocols

Biofeedback as a Treatment of Urinary Incontinence in Adults

Biofeedback as a Treatment of Chronic Pain

Biofeedback for Miscellaneous Indications

Biofeedback as a Treatment of Fecal Incontinence

Policy (Formerly Corporate Medical Guideline)

Biofeedback may be considered **medically necessary** as part of the overall treatment plan for migraine and tension-type headache.

Biofeedback for the treatment of cluster headache is **investigational**.

Unsupervised home use of biofeedback for treatment of headache is **not medically necessary**.

Policy Guideline

Biofeedback may require 10 to 20 office-based sessions of 30 to 60 minutes each.

Medicare Advantage

Biofeedback is **not medically necessary** for the treatment of migraine and tension-type headache.

Services that are the subject of a clinical trial do not meet our Technology Assessment Protocol criteria and are considered investigational. *For explanation of experimental and investigational, please refer to the Technology Assessment Protocol.*

It is expected that only appropriate and medically necessary services will be rendered. We reserve the right to conduct prepayment and postpayment reviews to assess the medical appropriateness of the above-referenced procedures. **Some of this Protocol may not pertain to the patients you provide care to, as it may relate to products that are not available in your geographic area.**

References

We are not responsible for the continuing viability of web site addresses that may be listed in any references below.

1. Blue Cross and Blue Shield Association Technology Evaluation Center (TEC). Biofeedback. TEC Assessments 1995; Volume 10, Tab 25.
2. Mann JD, Coeytaux RR. Migraine and tension-type headache. In: Rakel D, ed. Integrative Medicine, 2nd edition. Philadelphia: Saunders Elsevier; 2007.
3. Nestoriuc Y, Martin A. Efficacy of biofeedback for migraine: a meta-analysis. *Pain* 2007; 128(1-2):111-27.
4. Nestoriuc Y, Rief W, Martin A. Meta-analysis of biofeedback for tension-type headache: efficacy, specificity, and treatment moderators. *J Consult Clin Psychol* 2008; 76(3):379-96.
5. Verhagen AP, Damen L, Berger MY et al. Behavioral treatments of chronic tension-type headache in adults: are they beneficial? *CNS Neurosci Ther* 2009; 15(2):183-205.
6. Martin PR, Forsyth MR, Reece J. Cognitive-behavioral therapy versus temporal pulse amplitude biofeedback training for recurrent headache. *Behav Ther* 2007; 38(4):350-63.
7. Andrasik F, Holroyd KA. Specific and nonspecific effects in the biofeedback treatment of tension headache: 3-year follow-up. *J Consult Clin Psychol* 1983; 51(4):634-6.
8. Holroyd KA, Andrasik F, Noble J. A comparison of EMG biofeedback and a credible pseudotherapy in treating tension headache. *J Behav Med* 1980; 3(1):29-39.
9. Gauthier J, Doyon J, Lacroix R et al. Blood volume pulse biofeedback in the treatment of migraine headache: a controlled evaluation. *Biofeedback Self Regul* 1983; 8(3):427-42.
10. Trautmann E, Lackschewitz H, Kroner-Herwig B. Psychological treatment of recurrent headache in children and adolescents--a meta-analysis. *Cephalalgia* 2006; 26(12):1411-26.
11. Damen L, Bruijn J, Koes BW et al. Prophylactic treatment of migraine in children. Part 1. A systematic review of non-pharmacological trials. *Cephalalgia* 2006; 26(4):373-83.
12. Eccleston C, Palermo TM, Williams AC et al. Psychological therapies for the management of chronic and recurrent pain in children and adolescents. *Cochrane Database Syst Rev* 2009; (2):CD003968.
13. Palermo TM, Eccleston C, Lewandowski AS et al. Randomized controlled trials of psychological therapies for management of chronic pain in children and adolescents: an updated meta-analytic review. *Pain* 2010; 148(3):387-97.
14. Gerber WD, Petermann F, Gerber-von Muller G et al. MIPAS-Family-evaluation of a new multi-modal behavioral training program for pediatric headaches: clinical effects and the impact on quality of life. *J Headache Pain* 2010; 11(3):215-25.
15. Kroner-Herwig B, Mohn U, Pothmann R. Comparison of biofeedback and relaxation in the treatment of pediatric headache and the influence of parent involvement on outcome. *Appl Psychophysiol Biofeedback* 1998; 23(3):143-57.
16. Bussone G, Grazi L, D'Amico D et al. Biofeedback-assisted relaxation training for young adolescents with tension-type headache: a controlled study. *Cephalalgia* 1998; 18(7):463-7.
17. Scharff L, Marcus DA, Masek BJ. A controlled study of minimal-contact thermal biofeedback treatment in children with migraine. *J Pediatr Psychol* 2002; 27(2):109-19.
18. Sartory G, Muller B, Metsch J et al. A comparison of psychological and pharmacological treatment of pediatric migraine. *Behav Res Ther* 1998; 36(12):1155-70.
19. National Institute of Neurologic Disorders and Stroke. NINDS Headache information page. Available online at: <http://www.ninds.nih.gov/disorders/headache/headache.htm>. Last accessed February 2011.

20. Morey SS. Practice guidelines of the American Academy of Family Physicians. Guidelines on migraine: part 4. General principles of preventive therapy. Am Fam Physician 2000; 62(10):2359-60, 63 Available at: <http://www.aafp.org/afp/20001115/practice.html>. Last accessed March 2013.
21. Campbell JK, Penzien DB, Wall EM et al; U.S. Headache Consortium. Evidenced-based guidelines for migraine headache: behavioral and physical treatments. 2000. Available online at: <http://www.aan.com/professionals/practice/pdfs/gl0089.pdf>. Last accessed March 2013.
22. Silberstein SD. Practice parameter: evidence-based guidelines for migraine headache (an evidence-based review): report of the Quality Standards Subcommittee of the American Academy of Neurology. Neurology 2000; 55(6):754-62.
23. Bendtsen L, Evers S, Linde M et al. EFNS guideline on the treatment of tension-type headache - report of an EFNS task force. Eur J Neurol 2010; 17(11):1318-25.
24. Centers for Medicare and Medicaid Services National Coverage Determination (NCD) for Biofeedback Therapy (30.1), longstanding national coverage determination and the effective date of this version have not been posted.
25. National Government Services (NGS) Local Coverage Determination (LCD): Outpatient Physical and Occupational Therapy Services (L26884), Revision Effective Date for services performed on or after 11/01/2013.
26. NGS LCD: Psychiatry and Psychology Services (L26895), Revision Effective Date for services performed on or after 03/01/2014.