



ICD-9-CM Code	ICD-10-CM Code(s)	
789.00	Abdominal pain, unspecified site	
ICD-10-CM Codes	<p>R10.9 Unspecified abdominal pain *There are more specific code choice selections available in ICD-10-CM. These include: R10.0 Acute abdomen R10.10 Upper abdominal pain, unspecified R10.11 Right upper quadrant pain R10.12 Left upper quadrant pain R10.13 Epigastric pain R10.2 Pelvic and perineal pain R10.30 Lower abdominal pain, unspecified R10.31 Right lower quadrant pain R10.32 Left lower quadrant pain R10.33 Periumbilical pain R10.84 Generalized abdominal pain</p>	
461.9	Acute sinusitis, unspecified	
ICD-10-CM Codes	<p>J01.90 Acute sinusitis, unspecified **Use additional code (B95-B97) to identify infectious agent * There are more specific code choice selections available in ICD-10-CM. These include: J01.00 Acute maxillary sinusitis, unspecified J01.10 Acute frontal sinusitis, unspecified J01.20 Acute ethmoidal sinusitis, unspecified J01.30 Acute sphenoidal sinusitis, unspecified J01.40 Acute pansinusitis, unspecified J01.80 Other acute sinusitis</p>	
784.0	Headache	R51 Headache
250.00	Diabetes mellitus without mention of complications type II or unspecified type, not stated as uncontrolled	E11.9 Type 2 diabetes mellitus without complications
599.0	Urinary tract infection, site not specified	
ICD-10-CM Codes	<p>N39.0 Urinary tract infection, site not specified ** Use additional code (B95-B97) to identify infectious agent ** There are more specific code choice selections available in ICD-10-CM. These include: N30.00 Acute cystitis without hematuria N30.01 Acute cystitis with hematuria N30.10 Interstitial cystitis (chronic) without hematuria N30.11 Interstitial cystitis (chronic) with hematuria N30.20 Other chronic cystitis without hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis with hematuria N30.40 Irradiation cystitis without hematuria N30.41 Irradiation cystitis with hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria</p>	
719.41	Pain in joint, shoulder region	
ICD-10-CM Codes	<p>M25.511 Pain in right shoulder M25.512 Pain in left shoulder M25.519 Pain in unspecified shoulder</p>	

ICD-9-CM Code	ICD-10-CM Code(s)
311	Depressive disorder, not elsewhere classified
ICD-10-CM Codes	<p>F32.9 Major depressive disorder, single episode, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: F32.0 Major depressive disorder, single episode, mild F32.1 Major depressive disorder, single episode, moderate F32.2 Major depressive disorder, single episode, severe without psychotic features F32.3 Major depressive disorder, single episode, severe with psychotic features F32.4 Major depressive disorder, single episode, in partial remission F32.5 Major depressive disorder, single episode, in full remission F32.8 Other depressive episodes</p>
466.0	Acute bronchitis
ICD-10-CM Codes	<p>J20.9 Acute bronchitis, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: J20.0 Acute bronchitis due to Mycoplasma pneumoniae J20.1 Acute bronchitis due to Hemophilus influenzae J20.2 Acute bronchitis due to streptococcus J20.3 Acute bronchitis due to coxsackievirus J20.4 Acute bronchitis due to parainfluenza virus J20.5 Acute bronchitis due to respiratory syncytial virus J20.6 Acute bronchitis due to rhinovirus J20.7 Acute bronchitis due to echovirus J20.8 Acute bronchitis due to other specified organisms</p>
724.5	Backache, unspecified
ICD-10-CM Codes	<p>M54.9 Dorsalgia, unspecified *There are more specific code choice selections available in ICD-10-CM. These include: M54.89 Other dorsalgia M54.6 Pain in thoracic spine M54.5 Low back pain M53.3 Sacrococcygeal disorders, not elsewhere classified</p>
V72.31	Routine gynecological exam
ICD-10-CM Codes	<p>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings * Use additional code to identify abnormal findings Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings Instructional note under codes should be as follows: **Use additional code: for screening for human papillomavirus, if applicable (Z11.51) for screening vaginal pap smear, if applicable (Z12.72) to identify acquired absence of uterus, if applicable (Z90.71-)</p>
616.10	Vaginitis and vulvovaginitis, unspecified
ICD-10-CM Codes	<p>N76.0 Acute vaginitis **Use additional code (B95-B97), to identify infectious agent There are other codes from this subcategory to describe vaginitis: N76.1 Subacute and chronic vaginitis N76.2 Acute vulvitis N76.3 Subacute and chronic vulvitis N76.89 Other specified inflammation of vagina and vulva</p>



ICD-9-CM Code	ICD-10-CM Code(s)
V10.83	Personal history of other malignant neoplasm of skin
ICD-10-CM Codes	Z85.828 Personal history of other malignant neoplasm of skin *There are more specific code choice selections available in ICD-10-CM. These include: Z85.820 Personal history of malignant melanoma of skin Z85.821 Personal history of Merkel cell carcinoma
706.2	Sebaceous cyst L72.3 Sebaceous cyst
707.9	Chronic ulcer of unspecified site
ICD-10-CM Codes	L98.499 Non-pressure chronic ulcer of skin of other sites with unspecified severity *There are more specific code choice selections available in ICD-10-CM. These include: L98.411 Non-pressure chronic ulcer of buttock limited to breakdown of skin L98.412 Non-pressure chronic ulcer of buttock with fat layer exposed L98.413 Non-pressure chronic ulcer of buttock with necrosis of muscle L98.414 Non-pressure chronic ulcer of buttock with necrosis of bone L98.419 Non-pressure chronic ulcer of buttock with unspecified severity L98.421 Non-pressure chronic ulcer of back limited to breakdown of skin L98.422 Non-pressure chronic ulcer of back with fat layer exposed L98.423 Non-pressure chronic ulcer of back with necrosis of muscle L98.424 Non-pressure chronic ulcer of back with necrosis of bone L98.429 Non-pressure chronic ulcer of back with unspecified severity L98.491 Non-pressure chronic ulcer of skin of other sites limited to breakdown of skin L98.492 Non-pressure chronic ulcer of skin of other sites with fat layer exposed L98.493 Non-pressure chronic ulcer of skin of other sites with necrosis of muscle L98.494 Non-pressure chronic ulcer of skin of other sites with necrosis of bone
272.4	Hyperlipidemia, other and unspecified
ICD-10-CM Codes	E78.4 Other hyperlipidemia E78.5 Hyperlipidemia, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: E78.0 Pure hypercholesterolemia E78.1 Pure hyperglyceridemia E78.2 Mixed hyperlipidemia E78.3 Hyperchylomicronemia E78.6 Lipoprotein deficiency
786.59	Chest pain, other
ICD-10-CM Codes	R07.89 Other chest pain NOS R07.82 Intercostal pain

ICD-9-CM Code	ICD-10-CM Code(s)
782.3	Edema
ICD-10-CM Codes	R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified
786.2	Cough R05 Cough
V70.0	Routine general medical examination at a health care facility
ICD-10-CM Codes	Z00.00 Encounter for general adult medical examination without abnormal findings Z00.01 Encounter for general adult medical examination with abnormal findings ** Use additional code to identify abnormal findings
729.5	Pain in limb
ICD-10-CM Codes	M79.609 Pain in unspecified limb ** There are more specific code choice selections available in ICD-10-CM. These include: M79.601 Pain in right arm M79.602 Pain in left arm M79.603 Pain in arm, unspecified M79.604 Pain in right leg M79.605 Pain in left leg M79.606 Pain in leg, unspecified M79.631 Pain in right upper arm M79.622 Pain in left upper arm M79.629 Pain in unspecified upper arm M79.631 Pain in right forearm M79.632 Pain in left forearm M79.639 Pain in unspecified forearm M79.651 Pain in right thigh M79.652 Pain in left thigh M79.659 Pain in unspecified thigh M79.661 Pain in right lower leg M79.662 Pain in left lower leg M79.669 Pain in unspecified lower leg
724.1	Pain in thoracic spine M54.6 Pain in thoracic spine
723.0	Spinal stenosis of cervical region M48.02 Spinal stenosis, cervical region
724.3	Sciatica
ICD-10-CM Codes	M54.30 Sciatica, unspecified site M54.31 Sciatica, right side M54.32 Sciatica, left side M54.40 Lumbago with sciatica, unspecified site M54.41 Lumbago with sciatica, right side M54.42 Lumbago with sciatica, left side
722.52	Degeneration of lumbar or lumbosacral intervertebral disc
ICD-10-CM Codes	M51.36 Other intervertebral disc degeneration, lumbar region M51.37 Other intervertebral disc degeneration, lumbosacral region



ICD-9-CM Code	ICD-10-CM Code(s)
592.0	Calculus of kidney
ICD-10-CM Codes	N20.0 Calculus of kidney N20.9 Urinary calculus; unspecified N20.2 Calculus of kidney and ureter
585.9	Chronic kidney disease, unspecified
ICD-10-CM Codes	N18.9 Chronic kidney disease, unspecified ** Code first any associated: Diabetic chronic kidney disease (E08.22 , E09.22 , E10.22 , E11.22 , E13.22) Hypertensive chronic kidney disease (I12- , I13-) Use additional code to identify kidney transplant status, if applicable (Z94.0) ** There are more specific code choice selections available in ICD-10-CM. These include: N18.1 Chronic kidney disease, stage 1 N18.2 Chronic kidney disease, stage 2 (mild) N18.3 Chronic kidney disease, stage 3 (moderate) N18.4 Chronic kidney disease, stage 4 (severe) N18.5 Chronic kidney disease, stage 5 N18.6 End stage renal disease ** Use additional code to identify dialysis status (Z99.2)
443.9	Peripheral vascular disease, unspecified
ICD-10-CM Codes	I73.9 Peripheral vascular disease, unspecified ** There are more specific code choice selections available. These include: I73.00 Raynaud's syndrome without gangrene I73.01 Raynaud's syndrome with gangrene I73.1 Thromboangiitis obliterans (Buerger's disease) I73.81 Erythromelalgia I73.89 Other specified peripheral vascular diseases
780.97	Altered mental status
ICD-10-CM Codes	R41.82 Altered mental status, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include: R41.0 Disorientation, unspecified R41.81 Age-related cognitive decline R41.840 Attention and concentration deficit R41.89 Other symptoms and signs involving cognitive functions and awareness
327.23	Obstructive sleep apnea (adult)(pediatric)
ICD-10-CM Codes	G47.33 Obstructive sleep apnea (adult)(pediatric) ** Code also any associated underlying condition
385.30	Cholesteatoma, unspecified
ICD-10-CM Codes	H71.90 Unspecified cholesteatoma, unspecified ear H71.91 Unspecified cholesteatoma, right ear H71.92 Unspecified cholesteatoma, left ear H71.93 Unspecified cholesteatoma, bilateral ** There are more specific code choice selections available in ICD-10-CM. These include: H71.00 Cholesteatoma of attic, unspecified ear H71.01 Cholesteatoma of attic, right ear

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	H71.02 Cholesteatoma of attic, left ear H71.03 Cholesteatoma of attic, bilateral H71.10 Cholesteatoma of tympanum, unspecified ear H71.11 Cholesteatoma of tympanum, right ear H71.12 Cholesteatoma of tympanum, left ear H71.13 Cholesteatoma of tympanum, bilateral H71.20 Cholesteatoma of mastoid, unspecified ear H71.21 Cholesteatoma of mastoid, right ear H71.22 Cholesteatoma of mastoid, left ear H71.23 Cholesteatoma of mastoid, bilateral H60.40 Cholesteatoma of external ear, unspecified ear H60.41 Cholesteatoma of right external ear H60.42 Cholesteatoma of left external ear H60.43 Cholesteatoma of external ear, bilateral
715.00	Osteoarthritis, generalized, site unspecified
ICD-10-CM Codes	M15.0 Primary generalized (osteo)arthritis M15.4 Erosive (osteo)arthritis M15.8 Other polyosteoarthritis M15.9 Polyosteoarthritis, unspecified
729.1	Myalgia and myositis, unspecified
ICD-10-CM Codes	M79.1 Myalgia M79.7 Fibromyalgia M60.9 Myositis, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: M60.811 Other myositis, right shoulder M60.822 Other myositis, left shoulder M60.819 Other myositis, unspecified shoulder M60.821 Other myositis, right upper arm M60.822 Other myositis, left upper arm M60.829 Other myositis, unspecified upper arm M60.831 Other myositis, right forearm M60.832 Other myositis, left forearm M60.839 Other myositis, unspecified forearm M60.841 Other myositis, right hand M60.842 Other myositis, left hand M60.849 Other myositis, unspecified hand M60.851 Other myositis, right thigh M60.852 Other myositis, left thigh M60.859 Other myositis, unspecified thigh M60.861 Other myositis, right lower leg M60.862 Other myositis, left lower leg M60.869 Other myositis, unspecified lower leg M60.871 Other myositis, right ankle and foot M60.872 Other myositis, left ankle and foot M60.879 Other myositis, unspecified ankle and foot



ICD-9-CM Code	ICD-10-CM Code(s)
726.5	Enthesopathy of hip region
ICD-10-CM Codes	<p>M70.60 Trochanteric bursitis, unspecified hip M70.61 Trochanteric bursitis, right hip M70.62 Trochanteric bursitis, left hip M70.70 Other bursitis, unspecified hip M70.71 Other bursitis, right hip M70.72 Other bursitis, left hip ** Use additional external cause code to identify activity causing disorder (Y93-) M76.10 Psoas tendinitis, unspecified hip M76.11 Psoas tendinitis, right hip M76.12 Psoas tendinitis, left hip M76.20 Iliac crest spur, unspecified hip M76.21 Iliac crest spur, right hip M76.22 Iliac crest spur, left hip</p>
401.1	Essential hypertension, benign I10 Essential (primary) hypertension
600.01	Hypertrophy (benign) of prostate with urinary obstruction and other lower urinary tract symptoms (LUTS) lower urinary tract symptoms (LUTS)
ICD-10-CM Codes	<p>Two codes are required in ICD-10-CM: N40.1 Enlarged prostate with lower urinary tract symptoms (LUTS); AND N13.8 Other obstructive and reflux uropathy ** Note under N40.1 states – Use additional code for associated symptoms, when specified: • Incomplete bladder emptying (R39.14) • Nocturia (R35.1) • Straining on urination (R39.16) • Urinary frequency (R35.0) • Urinary hesitancy (R39.11) • Urinary incontinence (N39.4-) • Urinary obstruction (N13.8) • Urinary retention (R33.8) • Urinary urgency (R39.15) • Weak urinary stream (R39.12) ** Note under N13.8 states – Code first, if applicable, any causal condition, such as: • Enlarged prostate (N40.1)</p>
474.00	Chronic tonsillitis
ICD-10-CM Codes	<p>J35.01 Chronic tonsillitis * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)</p>
474.10	Hypertrophy of tonsils with adenoids
ICD-10-CM Codes	<p>J35.3 Hypertrophy of tonsils with hypertrophy of adenoids * Use additional code to identify: Exposure to environmental tobacco smoke (Z77.22) Exposure to tobacco smoke in the perinatal period (P96.81) History of tobacco use (Z87.891) Occupational exposure to environmental tobacco smoke (Z57.31) Tobacco dependence (F17-) Tobacco use (Z72.0)</p>

ICD-9-CM Code	ICD-10-CM Code(s)
786.05	Shortness of breath R06.02 Shortness of breath
493.90	Asthma, unspecified
ICD-10-CM Codes	<p>J45.909 Unspecified asthma, uncomplicated **Use additional code to identify: exposure to environmental tobacco smoke (Z77.22) exposure to tobacco smoke in the perinatal period (P96.81) history of tobacco use (Z87.891) occupational exposure to environmental tobacco smoke (Z57.31) tobacco dependence (F17-) tobacco use (Z72.0) ** There are more specific code choice selections available in ICD-10-CM. These include: J45.20 Mild intermittent asthma, uncomplicated J45.21 Mild intermittent asthma with (acute) exacerbation J45.22 Mild intermittent asthma with status asthmaticus J45.30 Mild persistent asthma, uncomplicated J45.31 Mild persistent asthma with (acute) exacerbation J45.32 Mild persistent asthma with status asthmaticus J45.40 Moderate persistent asthma, uncomplicated J45.41 Moderate persistent asthma with (acute) exacerbation J45.42 Moderate persistent asthma with status asthmaticus J45.50 Severe persistent asthma, uncomplicated J45.51 Severe persistent asthma with (acute) exacerbation J45.52 Severe persistent asthma with status asthmaticus J45.901 Unspecified asthma with (acute) exacerbation J45.902 Unspecified asthma with status asthmaticus J45.990 Exercise induced bronchospasm J45.991 Cough variant asthma J45.998 Other asthma</p>
V72.31	Routine gynecological exam
ICD-10-CM Codes	<p>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings * Use additional code to identify abnormal findings Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings Instructional note under codes should be as follows: **Use additional code: for screening for human papillomavirus, if applicable (Z11.51) for screening vaginal pap smear, if applicable (Z12.72) to identify acquired absence of uterus, if applicable (Z90.71-)</p>
786.50	Chest pain, unspecified
ICD-10-CM Codes	<p>R07.9 Chest pain, unspecified **There are more specific code choice selections available in ICD-10-CM. These include: R07.89 Other chest pain R07.2 Precordial pain R07.1 Chest pain on breathing R07.81 Pleurodynia</p>



ICD-9-CM Code	ICD-10-CM Code(s)
787.20	Dysphagia, unspecified
ICD-10-CM Codes	<p>R13.10 Dysphagia, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R13.11 Dysphagia, oral phase R13.12 Dysphagia, oropharyngeal phase R13.13 Dysphagia, pharyngeal phase R13.14 Dysphagia, pharyngoesophageal phase R13.19 Other dysphagia</p>
780.79	Other malaise and fatigue
ICD-10-CM Codes	<p>R53.1 Weakness R53.81 Other malaise R53.83 Other fatigue G93.3 Postviral fatigue syndrome R53.0 Neoplastic (malignant) related fatigue * Code first associated neoplasm</p>
782.3	Edema
ICD-10-CM Codes	<p>R60.0 Localized edema R60.1 Generalized edema R60.9 Edema, unspecified</p>
300.00	Anxiety state, unspecified
ICD-10-CM Codes	<p>F41.1 Generalized anxiety disorder F41.8 Other specified anxiety disorders F41.9 Anxiety disorder, unspecified</p>
530.81	Esophageal reflux
ICD-10-CM Codes	<p>K21.9 Gastro-esophageal reflux disease without esophagitis K21.0 Gastro-esophageal reflux disease with esophagitis</p>

ICD-9-CM Code	ICD-10-CM Code(s)	
285.9	Anemia, unspecified	
ICD-10-CM Codes	<p>D64.9 Anemia, unspecified ** There are more specific code choice selections available for use. These include:</p> <p>D64.0 Hereditary sideroblastic anemia D64.1 Secondary sideroblastic anemia due to disease ** Code first underlying disease D64.2 Secondary sideroblastic anemia due to drugs and toxins ** Code first (T36-T65) to identify drug or toxin ** Code first poisoning due to drug or toxin, if applicable (T36-T65 with fifth or sixth character 1-4 or 6) * Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5) D64.3 Other sideroblastic anemia D64.81 Anemia due to antineoplastic chemotherapy D64.89 Other specified anemias</p>	
780.97	Altered mental status	
ICD-10-CM Codes	<p>R41.82 Altered mental status, unspecified ** There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R41.0 Disorientation, unspecified R41.81 Age-related cognitive decline R41.840 Attention and concentration deficit R41.89 Other symptoms and signs involving cognitive functions and awareness</p>	
276.51	Dehydration	E86.0 Dehydration
786.52	Painful respiration	
ICD-10-CM Codes	<p>R07.1 Chest pain on breathing R07.81 Pleurodynia R07.89 Other chest pain</p>	

Fast Forward

to ICD-10

