



ICD-9-CM Code	ICD-10-CM Code(s)
V72.31	Routine gynecological exam
ICD-10-CM Codes	<p>Z01.411 Encounter for gynecological examination (general) (routine) with abnormal findings</p> <p>* Use additional code to identify abnormal findings</p> <p>Z01.419 Encounter for gynecological examination (general) (routine) without abnormal findings</p> <p>Instructional note under codes should be as follows: **Use additional code: for screening for human papillomavirus, if applicable (Z11.51) for screening vaginal pap smear, if applicable (Z12.72) to identify acquired absence of uterus, if applicable (Z90.71-)</p>
701.0	Circumscribed scleroderma
ICD-10-CM Codes	<p>L94.0 Localized scleroderma [morphea]</p> <p>L90.0 Lichen sclerosus et atrophicus</p> <p>L94.1 Linear scleroderma</p> <p>L94.3 Sclerodactyly</p>
624.9	Noninflammatory disorders of the vulva and perineum, unspecified
ICD-10-CM Codes	<p>N90.9 Noninflammatory disorder of vulva and perineum, unspecified</p> <p>*There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N90.0 Mild vulvar dysplasia</p> <p>N90.1 Moderate vulvar dysplasia</p> <p>N90.3 Dysplasia of vulva, unspecified</p> <p>N90.4 Leukoplakia of vulva</p> <p>N90.5 Atrophy of vulva</p> <p>N90.6 Hypertrophy of vulva</p> <p>N90.7 Vulvar cyst</p> <p>N90.810 Female genital mutilation status, unspecified</p> <p>N90.811 Female genital mutilation status, Type I status</p> <p>N90.812 Female genital mutilation status, Type II status</p> <p>N90.813 Female genital mutilation status, Type III status</p> <p>N90.818 Other female genital mutilation status</p> <p>N90.89 Other specified noninflammatory disorders of vulva and perineum</p>
627.1	Postmenopausal bleeding
	N95.0 Postmenopausal bleeding
625.9	Female genital symptoms NOS
ICD-10-CM Codes	<p>N94.89 Other specified conditions associated with female genital organs and menstrual cycle</p> <p>N94.9 Unspecified condition associated with female genital organs and menstrual cycle</p> <p>R10.2 Pelvic and perineal pain</p> <p>R19.8 Other specified symptoms and signs involving the digestive system and abdomen</p> <p>R39.9 Unspecified symptoms and signs involving the genitourinary system</p>
644.03	Threatened preterm labor, antepartum (without delivery)
ICD-10-CM Codes	<p>O47.00 False labor before 37 weeks of completed gestation, unspecified trimester</p> <p>O47.02 False labor before 37 completed weeks of gestation, second trimester</p> <p>O47.03 False labor before 37 completed weeks of gestation, third trimester</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>O47.1 False labor at or after 37 completed weeks of gestation</p> <p>O47.9 False labor, unspecified</p> <p>** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>
618.01	Cystocele, midline
	N81.11 Cystocele, midline
626.2	Excessive menstruation
ICD-10-CM Codes	<p>N92.0 Excessive and frequent menstruation with regular cycle</p> <p>N92.1 Excessive and frequent menstruation with irregular cycle</p> <p>N92.2 Excessive menstruation at puberty</p> <p>N92.4 Excessive bleeding in the premenopausal period</p>
648.33	Drug dependence, antepartum
ICD-10-CM Codes	<p>O99.320 Drug use complicating pregnancy, unspecified trimester</p> <p>O99.321 Drug use complicating pregnancy, first trimester</p> <p>O99.322 Drug use complicating pregnancy, second trimester</p> <p>O99.323 Drug use complicating pregnancy, third trimester</p> <p>** The codes from this subcategory require an additional code from F11-F16 and F18-F19 to identify manifestations of the drug use.</p> <p>** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>
627.3	Postmenopausal atrophic vaginitis
	N95.2 Postmenopausal atrophic vaginitis
646.83	Other specified complications of pregnancy, antepartum
ICD-10-CM Codes	<p>O26.891 Other specified pregnancy related conditions, first trimester</p> <p>O26.892 Other specified pregnancy related conditions, second trimester</p> <p>O26.893 Other specified pregnancy related conditions, third trimester</p> <p>O26.899 Other specified pregnancy related conditions, unspecified trimester</p> <p>* There are other code selections available for codes previously coded to 646.83:</p> <p>O26.10 Low weight gain in pregnancy, unspecified trimester</p> <p>O26.11 Low weight gain in pregnancy, first trimester</p> <p>O26.12 Low weight gain in pregnancy, second trimester</p> <p>O26.13 Low weight gain in pregnancy, third trimester</p> <p>O26.40 Herpes gestationis, unspecified trimester</p> <p>O26.41 Herpes gestationis, first trimester</p> <p>O26.42 Herpes gestationis, second trimester</p> <p>O26.43 Herpes gestationis, third trimester</p> <p>O26.811 Pregnancy related exhaustion and fatigue, first trimester</p> <p>O26.812 Pregnancy related exhaustion and fatigue, second trimester</p> <p>O26.813 Pregnancy related exhaustion and fatigue, third trimester</p> <p>O26.819 Pregnancy related exhaustion and fatigue, unspecified trimester</p> <p>**An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>
632	Missed abortion
ICD-10-CM Codes	<p>O02.1 Missed abortion</p> <p>** Use additional code from category O08 to identify any associated complication</p> <p>** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>



ICD-9-CM Code	ICD-10-CM Code(s)
616.10	Vaginitis and vulvovaginitis, unspecified
ICD-10-CM Codes	<p>N76.0 Acute vaginitis</p> <p>**Use additional code (B95-B97), to identify infectious agent</p> <p>There are other codes from this subcategory to describe vaginitis:</p> <p>N76.1 Subacute and chronic vaginitis</p> <p>N76.2 Acute vulvitis</p> <p>N76.3 Subacute and chronic vulvitis</p> <p>N76.89 Other specified inflammation of vagina and vulva</p>
618.00	Unspecified prolapse of vaginal walls
ICD-10-CM Codes	<p>N81.9 Female genital prolapse,unspecified</p> <p>*There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N81.0 Urethrocele</p> <p>N81.10 Cystocele, unspecified</p> <p>N81.11 Cystocele, midline</p> <p>N81.12 Cystocele, lateral</p> <p>N81.2 Incomplete uterovaginal prolapse</p> <p>N81.3 Complete uterovaginal prolapsed</p> <p>N81.4 Uterovaginal prolapsed, unspecified</p> <p>N81.5 Vaginal enterocele</p> <p>N81.6 Rectocele</p> <p>N81.81 Perineocele</p> <p>N81.82 Incompetence or weakening of pubocervical tissue</p> <p>N81.83 Incompetence or weakening of rectovaginal tissue</p> <p>N81.84 Pelvic muscle wasting</p> <p>N81.85 Cervical stump prolapsed</p> <p>N81.89 Other female genital prolapsed</p>
620.2	Ovarian cyst NOS/NEC
ICD-10-CM Codes	<p>N83.20 Unspecified ovarian cysts</p> <p>N83.29 Other ovarian cysts</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N83.1 Corpus luteum cyst</p> <p>N83.0 Follicular cyst of ovary</p> <p>D27.9 Benign neoplasm of unspecified ovary</p> <p>Q50.1 Developmental ovarian cyst</p> <p>O34.80 Maternal care for other abnormalities of pelvic organs, unspecified trimester</p> <p>O34.81 Maternal care for other abnormalities of pelvic organs, first trimester</p> <p>O34.82 Maternal care for other abnormalities of pelvic organs, second trimester</p> <p>O34.83 Maternal care for other abnormalities of pelvic organs, third trimester</p> <p>O65.5 Obstructed labor due to abnormality of maternal pelvic organs</p> <p>** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>
623.9	Noninflammatory disorders of vagina, NOS
ICD-10-CM Codes	<p>N89.8 Other specified noninflammatory disorders of vagina</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N89.0 Mild vaginal dysplasia</p> <p>N89.1 Moderate vaginal dysplasia</p> <p>N89.3 Dysplasia of vagina, unspecified</p>

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes (cont.)	<p>N89.4 Leukoplakia of vagina</p> <p>N89.5 Stricture and atresia of vagina</p> <p>N89.6 Tight hymenal ring</p> <p>N89.7 Hematocolpos</p> <p>N89.9 Noninflammatory disorder of vagina, unspecified</p>
V25.2	Desire for sterilization Z30.2 Encounter for sterilization
618.1	Uterine Prolapse w/o mention of vaginal wall prolapse
ICD-10-CM Codes	<p>N81.2 Incomplete uterovaginal prolapse</p> <p>N81.3 Complete uterovaginal prolapse</p> <p>N81.4 Uterovaginal prolapse, unspecified</p>
788.20	Urinary retention, NOS
ICD-10-CM Codes	<p>R33.9 Retention of urine, unspecified</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R33.8 Other retention of urine</p> <p>R33.0 Drug induced retention of urine</p> <p>** Use additional code for adverse effect, if applicable, to identify drug (T36-T50 with fifth or sixth character 5)</p> <p>F45.8 Other somatoform disorders</p>
788.31	Urge incontinence
ICD-10-CM Codes	<p>N39.41 Urge incontinence</p> <p>** Code also any associated overactive bladder (N32.81)</p>
788.33	Mixed incontinence
ICD-10-CM Codes	<p>N39.46 Mixed incontinence</p> <p>** Code also any associated overactive bladder symptoms (N32.81)</p>
789.03	Abdominal pain RLQ R10.31 Right lower quadrant pain
625.6	Female stress incontinence
ICD-10-CM Codes	<p>N39.3 Stress incontinence (female) (male)</p> <p>** Code also any associated overactive bladder symptoms (N32.81)</p>
V22.1	Supervision other normal pregnancy
ICD-10-CM Codes	<p>Z34.80 Encounter for supervision of other normal pregnancy, unspecified trimester</p> <p>Z34.81 Encounter for supervision of other normal pregnancy, first trimester</p> <p>Z34.82 Encounter for supervision of other normal pregnancy, second trimester</p> <p>Z34.83 Encounter for supervision of other normal pregnancy, third trimester</p>
611.72	Lump or mass in breast N63 Unspecified lump in breast
599.0	Urinary tract infection, NOS
ICD-10-CM Codes	<p>N39.0 Urinary tract infection, site not specified</p> <p>** Use additional code (B95-B97), to identify infectious agent</p> <p>*There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N30.00 Acute cystitis without hematuria</p> <p>N30.01 Acute cystitis with hematuria</p>



ICD-9-CM Code	ICD-10-CM Code(s)
599.0	Continued
ICD-10-CM Codes (cont.)	<p>N30.10 Interstitial cystitis (chronic) without hematuria N30.11 Interstitial cystitis (chronic) with hematuria N30.20 Other chronic cystitis without hematuria N30.21 Other chronic cystitis with hematuria N30.30 Trigonitis without hematuria N30.31 Trigonitis with hematuria N30.40 Irradiation cystitis without hematuria N30.41 Irradiation cystitis with hematuria N30.80 Other cystitis without hematuria N30.81 Other cystitis with hematuria N30.90 Cystitis, unspecified without hematuria N30.91 Cystitis, unspecified with hematuria N15.9 Renal tubule-interstitial disease, unspecified N34.1 Nonspecific urethritis N34.2 Other urethritis</p>
627.9	Menopausal disorder, NOS
ICD-10-CM Codes	<p>N95.9 Unspecified menopausal and perimenopausal disorder *There are more specific code choice selections available in ICD-10-CM. These include: N95.0 Postmenopausal bleeding N95.1 Menopausal and female climacteric states N95.2 Postmenopausal atrophic vaginitis N95.8 Other specified menopausal and perimenopausal disorders</p>
788.34	Incontinence without sensory awareness
ICD-10-CM Codes	<p>N39.42 Incontinence without sensory awareness ** Code also any associated overactive bladder (N32.81)</p>
642.43	Mild or unspecified pre-eclampsia, NOS
ICD-10-CM Codes	<p>O14.00 Mild to moderate pre-eclampsia, unspecified trimester O14.02 Mild to moderate pre-eclampsia, second trimester O14.03 Mild to moderate pre-eclampsia, third trimester O14.90 Unspecified pre-eclampsia, unspecified trimester O14.92 Unspecified pre-eclampsia, second trimester O14.93 Unspecified pre-eclampsia, third trimester **An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>
795.01	Papanicolaou smear of cervix with atypical squamous cells of undetermined significance ASC-US
ICD-10-CM Codes	<p>R87.610 Atypical squamous cells of undetermined significance on cytologic smear of cervix (ASC-US) *There are more specific code choice selections available in ICD-10-CM. These include: R87.611 Atypical squamous cells cannot exclude high grade squamous intraepithelial lesion on cytologic smear of cervix (ASC-H) R87.612 Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL) R87.613 High grade squamous intraepithelial lesion on cytologic smear of cervix (HGSIL) R87.614 Cytologic evidence of malignancy on smear of cervix R87.615 Unsatisfactory cytologic smear of cervix</p>

ICD-9-CM Code	ICD-10-CM Code(s)
795.01	Continued
ICD-10-CM Codes (cont.)	<p>R87.616 Satisfactory cervical smear but lacking transformation zone R87.618 Other abnormal cytological findings on specimens from cervix uteri R87.619 Unspecified abnormal cytological findings in specimens from cervix uteri</p>
626.4	Irregular menstrual cycle
ICD-10-CM Codes	<p>N92.5 Other specified irregular menstruation N92.6 Irregular menstruation, unspecified * There are more specific code choice selections available in ICD-10-CM. These include: N92.0 Excessive and frequent menstruation with regular cycle N92.1 Excessive and frequent menstruation with irregular cycle N92.2 Excessive menstruation at puberty N92.4 Excessive bleeding in the premenopausal period</p>
651.03	Twin pregnancy antepartum
ICD-10-CM Codes	<p>O30.001 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, first trimester O30.002 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, second trimester O30.003 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, third trimester O30.009 Twin pregnancy, unspecified number of placenta and unspecified number of amniotic sacs, unspecified trimester O30.011 Twin pregnancy, mono chorionic/monoamniotic, first trimester O30.012 Twin pregnancy, mono chorionic/monoamniotic, second trimester O30.013 Twin pregnancy, mono chorionic/monoamniotic, third trimester O30.019 Twin pregnancy, mono chorionic/monoamniotic, unspecified trimester O30.031 Twin pregnancy, mono chorionic/diamniotic, first trimester O30.032 Twin pregnancy, mono chorionic/diamniotic, second trimester O30.033 Twin pregnancy, mono chorionic/diamniotic, third trimester O30.039 Twin pregnancy, mono chorionic/diamniotic, unspecified trimester O30.041 Twin pregnancy, dichorionic/diamniotic, first trimester O30.042 Twin pregnancy, dichorionic/diamniotic, second trimester O30.043 Twin pregnancy, dichorionic/diamniotic, third trimester O30.049 Twin pregnancy, dichorionic/diamniotic, unspecified trimester O30.091 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, first trimester O30.092 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, second trimester O30.093 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, third trimester O30.099 Twin pregnancy, unable to determine number of placenta and number of amniotic sacs, unspecified trimester **An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>



ICD-9-CM Code	ICD-10-CM Code(s)	
795.03	Papanicolaou smear of cervix with LGSIL	
ICD-10-CM Codes	R87.612 Low grade squamous intraepithelial lesion on cytologic smear of cervix (LGSIL)	
623.5	Leukorrhea, not specified as infective	N89.8 Other specified noninflammatory disorders of vagina
V25.11	Insertion of IUD	Z30.430 Encounter for insertion of intrauterine contraceptive device
658.23	Delayed delivery after spontaneous or unspecified rupture of membranes, antepartum condition or complication	
ICD-10-CM Codes	<p>O42.111 Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, first trimester</p> <p>O42.112 Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, second trimester</p> <p>O42.113 Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, third trimester</p> <p>O42.119 Preterm premature rupture of membranes, onset of labor more than 24 hours following rupture, unspecified trimester</p> <p>** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>	
789.00	Abdominal pain site unspecified	
ICD-10-CM Codes	<p>R10.9 Unspecified abdominal pain * There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>R10.0 Acute abdomen</p> <p>R10.10 Upper abdominal pain, unspecified</p> <p>R10.11 Right upper quadrant pain</p> <p>R10.12 Left upper quadrant pain</p> <p>R10.13 Epigastric pain</p> <p>R10.2 Pelvic and perineal pain</p> <p>R10.30 Lower abdominal pain, unspecified</p> <p>R10.31 Right lower quadrant pain</p> <p>R10.32 Left lower quadrant pain</p> <p>R10.33 Periumbilical pain</p> <p>R10.84 Generalized abdominal pain</p>	
V28.3	Encounter for routine screening for malformation using ultrasonics (routine fetal ultrasound, NOS)	Z36 Encounter for antenatal screening of mother
V76.2	Screening malignant neoplasm cervix	Z12.4 Encounter for screening for malignant neoplasm of cervix
655.13	Maternal care for fetal chromosomal abnormality	
ICD-10-CM Codes	<p>*A 7th character extender must be assigned to code under category O35.</p> <p>O35.1XX0 Maternal care for (suspected) chromosomal abnormality in fetus, not applicable or unspecified</p> <p>O35.1XX1 Maternal care for (suspected) chromosomal abnormality in fetus, fetus 1</p> <p>O35.1XX2 Maternal care for (suspected) chromosomal abnormality in fetus, fetus 2</p>	

ICD-9-CM Code	ICD-10-CM Code(s)	
ICD-10-CM Codes (cont.)	<p>O35.1XX3 Maternal care for (suspected) chromosomal abnormality in fetus, fetus 3</p> <p>O35.1XX4 Maternal care for (suspected) chromosomal abnormality in fetus, fetus 4</p> <p>O35.1XX5 Maternal care for (suspected) chromosomal abnormality in fetus, fetus 5</p> <p>O35.1XX9 Maternal care for (suspected) chromosomal abnormality in fetus, other fetus</p> <p>One of the following 7th characters is to be assigned to each code under category O35. 7th character 0 is for single gestations and multiple gestations where the fetus is unspecified. 7th character 1 through 9 are for cases of multiple gestations to identify the fetus for which the code applies. The appropriate code from category O30, multiple gestation, must also be assigned when assigning a code from category O35 that has a 7th character of 1 through 9.</p> <p>7th Character extenders for subcategory O35-</p> <p>0 Not Applicable or unspecified</p> <p>1 Fetus 1</p> <p>2 Fetus 2</p> <p>3 Fetus 3</p> <p>4 Fetus 4</p> <p>5 Fetus 5</p> <p>9 Other fetus</p> <p>**An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.</p>	
789.04	Abdominal pain LLQ	R10.32 Left lower quadrant pain
789.07	Abdominal pain generalized	R10.84 Generalized abdominal pain
595.1	Interstitial cystitis chronic	
ICD-10-CM Codes	<p>N30.10 Interstitial cystitis (chronic) without hematuria</p> <p>N30.11 Interstitial cystitis (chronic) with hematuria</p>	
595.9	Cystitis NOS	
ICD-10-CM Codes	<p>N30.90 Cystitis, unspecified without hematuria</p> <p>N30.91 Cystitis, unspecified with hematuria</p> <p>**Use additional code to identify infectious agent (B95-B97)</p> <p>* There are more specific code choice selections available in ICD-10-CM. These include:</p> <p>N30.00 Acute cystitis without hematuria</p> <p>N30.01 Acute cystitis with hematuria</p> <p>N30.10 Interstitial cystitis (chronic) without hematuria</p> <p>N30.11 Interstitial cystitis (chronic) with hematuria</p> <p>N30.20 Other chronic cystitis without hematuria</p> <p>N30.21 Other chronic cystitis with hematuria</p> <p>N30.30 Trigonitis without hematuria</p> <p>N30.31 Trigonitis with hematuria</p> <p>N30.40 Irradiation cystitis without hematuria</p> <p>N30.41 Irradiation cystitis with hematuria</p> <p>N30.80 Other cystitis without hematuria</p> <p>N30.81 Other cystitis with hematuria</p>	
788.43	Nocturia	R35.1 Nocturia
112.1	Candidial vaginitis	B37.3 Candidiasis of vulva and vagina
616.2	Bartholin's gland cyst	N75.0 Cyst of Bartholin's gland



ICD-9-CM Code	ICD-10-CM Code(s)
616.4	Abcess of vulva NEC N76.4 Abscess of vulva
V25.09	Contraceptive management NEC
ICD-10-CM Codes	Z30.09 Encounter for other general counseling and advice on contraception Z30.8 Encounter for other contraceptive management
659.73	Abnormality in fetal heart rate or rhythm, antepartum
ICD-10-CM Codes	O76 Abnormality in fetal heart rate and rhythm complicating labor and delivery ** An additional code from category Z3A is needed to specify the weeks of gestation of the pregnancy.
<p>Many codes from chapter 15 (O00-O99A) require the use of an additional code from category Z3A. Weeks of gestation, to identify the specific week of the pregnancy. These codes are for use, only on the maternal record, to indicate the weeks of gestation of the pregnancy.</p>	
ICD-10-CM Codes	Code first complications of pregnancy, childbirth and the puerperium (O00-O9A). Z3A.00 Weeks of gestation of pregnancy not specified Z3A.01 Less than 8 weeks gestation of pregnancy Z3A.08 8 weeks gestation of pregnancy Z3A.09 9 weeks gestation of pregnancy Z3A.10 10 weeks gestation of pregnancy Z3A.11 11 weeks gestation of pregnancy Z3A.12 12 weeks gestation of pregnancy

ICD-9-CM Code	ICD-10-CM Code(s)
ICD-10-CM Codes	Z3A.13 13 weeks gestation of pregnancy Z3A.14 14 weeks gestation of pregnancy Z3A.15 15 weeks gestation of pregnancy Z3A.16 16 weeks gestation of pregnancy Z3A.17 17 weeks gestation of pregnancy Z3A.18 18 weeks gestation of pregnancy Z3A.19 19 weeks gestation of pregnancy Z3A.20 20 weeks gestation of pregnancy Z3A.21 21 weeks gestation of pregnancy Z3A.22 22 weeks gestation of pregnancy Z3A.23 23 weeks gestation of pregnancy Z3A.24 24 weeks gestation of pregnancy Z3A.25 25 weeks gestation of pregnancy Z3A.26 26 weeks gestation of pregnancy Z3A.27 27 weeks gestation of pregnancy Z3A.28 28 weeks gestation of pregnancy Z3A.29 29 weeks gestation of pregnancy Z3A.30 30 weeks gestation of pregnancy Z3A.31 31 weeks gestation of pregnancy Z3A.32 32 weeks gestation of pregnancy Z3A.33 33 weeks gestation of pregnancy Z3A.34 34 weeks gestation of pregnancy Z3A.35 35 weeks gestation of pregnancy Z3A.36 36 weeks gestation of pregnancy Z3A.37 37 weeks gestation of pregnancy Z3A.38 38 weeks gestation of pregnancy Z3A.39 39 weeks gestation of pregnancy Z3A.40 40 weeks gestation of pregnancy Z3A.41 41 weeks gestation of pregnancy Z3A.42 42 weeks gestation of pregnancy Z3A.49 Greater than 42 weeks gestation of pregnancy

Fast Forward

to ICD-10



Fast Forward

to ICD-10

