



Cigna Medical Coverage Policy

Effective Date 3/15/2014
Next Review Date 3/15/2015
Coverage Policy Number 0462

Subject Hospice Care

Table of Contents

Coverage Policy	1
General Background	2
Coding/Billing Information	5
References	6

Hyperlink to Related Coverage Policies

- [Nutritional Support](#)
- [Occupational Therapy](#)
- [Physical Therapy](#)
- [Speech Therapy](#)

INSTRUCTIONS FOR USE

The following Coverage Policy applies to health benefit plans administered by Cigna companies. Coverage Policies are intended to provide guidance in interpreting certain **standard** Cigna benefit plans. Please note, the terms of a customer's particular benefit plan document [Group Service Agreement, Evidence of Coverage, Certificate of Coverage, Summary Plan Description (SPD) or similar plan document] may differ significantly from the standard benefit plans upon which these Coverage Policies are based. For example, a customer's benefit plan document may contain a specific exclusion related to a topic addressed in a Coverage Policy. In the event of a conflict, a customer's benefit plan document **always supersedes** the information in the Coverage Policies. In the absence of a controlling federal or state coverage mandate, benefits are ultimately determined by the terms of the applicable benefit plan document. Coverage determinations in each specific instance require consideration of 1) the terms of the applicable benefit plan document in effect on the date of service; 2) any applicable laws/regulations; 3) any relevant collateral source materials including Coverage Policies and; 4) the specific facts of the particular situation. Coverage Policies relate exclusively to the administration of health benefit plans. Coverage Policies are not recommendations for treatment and should never be used as treatment guidelines. In certain markets, delegated vendor guidelines may be used to support medical necessity and other coverage determinations. Proprietary information of Cigna. Copyright ©2014 Cigna

Coverage Policy

Coverage for hospice care is subject to the terms, conditions and limitations of the applicable benefit plan. Many benefit plans specifically exclude or limit coverage for respite care and/or other services which could be classified as hospice care services. Please refer to the applicable benefit plan document to determine benefit availability and the terms, conditions and limitations of coverage.

While receiving hospice care services, other non-hospice services may still be covered under other portions of the benefit plan.

If benefit coverage for hospice services is available, the following conditions of coverage apply.

Cigna covers hospice care services, including pre-hospice evaluation or consultation, as medically necessary when ALL of the following indications are met:

- The individual is terminally ill and expected to live six months or less.
- Potentially curative treatment for the terminal illness is not part of the prescribed plan of care.
- The individual or appointed designee has formally consented to hospice care (i.e., care which is directed mostly toward palliative care and symptom management).
- The hospice services are provided by a certified/accredited hospice agency with care available 24 hours per day, seven days per week.

Cigna covers the following levels of hospice care services when the above medical necessity criteria have been met:

- Home care when less than eight hours of primarily nursing care, which may be intermittent, are required in a 24-hour period.
- Continuous home care for the relief of acute medical symptoms, when at least a total of eight hours of primarily skilled care, which may be intermittent, is required in a 24-hour period.
- Inpatient respite care that is short term (i.e., up to five days) and provided as part of the overall treatment plan, to relieve the primary caregiver at home and only if coverage for respite care is available under the plan.
- Inpatient hospice care when the intensity or scope of care needed is not practical in the home setting, will be short-term, and when the individual treatment plan is specifically directed at acute symptom management and/or pain control.

When the above coverage criteria are met, the following hospice care services may be covered as part of the hospice treatment plan:

- physician services
- intermittent skilled nursing services
- home health aide services
- physical and/or occupational therapy
- speech therapy services for dysphagia/feeding therapy
- medical social services
- counseling services (e.g., dietary and bereavement)
- short-term inpatient care
- prescription drugs
- consumable medical supplies (e.g., bandages, catheters) used by the hospice team

Cigna does not cover ANY of the following hospice care services because each is specifically excluded from coverage or is considered not medically necessary as hospice care (this list may not be all inclusive):

- services for individuals no longer considered terminally ill
- services, supplies or procedures that are directed towards curing the terminal condition
- services to primarily aid in the performance of activities of daily living
- nutritional supplements, vitamins, minerals and non-prescription drugs
- medical supplies unrelated to the palliative care to be provided
- services for which any other benefits apply

General Background

Hospice services are considered as a philosophy or concept of care; it is not a specific place of care or an evidence-based standard. A hospice program is defined as a program of palliative and supportive care services providing physical, psychological, social, and spiritual care for dying persons, their families, and other loved ones. The focus of treatment is palliative, not curative, and is based on a biopsychosocial model rather than a disease model of care (Fine and Davis, 2006). Palliative care may be defined as treatment for the relief of pain and other uncomfortable symptoms through the appropriate coordination of all aspects of care to maximize personal comfort and relieve distress (Centers for Medicare and Medicaid Services [CMS], Federal Register, 2005). Hospice care is comprehensive and coordinated palliative care that is provided in the final stages of life and allows the patient to remain at home for as long as possible by providing support to the patient and family, and keeping the patient as comfortable as possible while maintaining the patient's dignity and quality of life. Hospice programs consider both the patient and the family as the unit of care. Services that are provided generally include nursing care, physicians' services, nurse practitioner services, medical social services and other supportive services.

Most hospice care services are provided in the home or in inpatient settings (e.g., hospital, freestanding hospice facility, nursing home) and are provided to patients in all age groups. Inpatient care is generally short-term, and is provided for control of pain and management of acute symptoms (e.g., intractable nausea, vomiting,

seizures), or to provide respite care for relief of the patient's primary caregivers. Short-term inpatient hospice care may also be provided in order to prepare the patient and family for home-care services.

Determining the Need for Services

Assessment tools for determining prognosis and hospice eligibility may include general guidelines for noncancer diseases, published by the National Hospice and Palliative Care Organization (NHCPO), (previously referred to as the National Hospice Organization [NHO], 1996), the Functional Assessment Staging Scale (FAST), and the Karnovsky Performance Scale score.

Eligibility for or election of hospice services does not require the patient have a do-not-resuscitate order, a living will, or that any specific intervention such as tube-feedings, transfusions, or chemotherapy be terminated. In some cases, pre-election evaluation or consultation for hospice care may be helpful to inform members and their family of the healthcare choices available.

Documentation of hospice eligibility includes the following information:

- history of recent progression of the disease, including treatment and indications of disease severity, decline in functioning, or increased need for emergency room visits or hospitalization
- physical examination that is focused on evidence of disease severity and specific disease criteria listed in the NHCPO guidelines
- indications of the patients physical functioning (e.g., Karnovsky score of 50% or less), ability to ambulate, and ability to complete activities of daily living
- nutritional indicators of disease severity are recommended but not required to confirm hospice eligibility
- mental status assessment, particularly for patients with dementia

Levels of Hospice Care

Hospice care is defined by the services and care provided, in addition to the setting in which these services are delivered. Four levels of hospice care are available: routine home care, continuous home care, respite care, and inpatient care (CMS, 2004). More than 90% of the hospice services in the United States are provided in the patient's home (American Cancer Society [ACS], 2013).

Routine Home Care: Routine home care is the basic level of care provided, often by an interdisciplinary hospice team to support a patient with a terminal illness. It may be provided in a private residence, a hospital residential care facility, or an adult care home. It may also be provided in a nursing facility when the facility has a contractual agreement with the hospice agency. This level of care typically requires fewer than eight hours of primarily nursing care per day and is based on the patient's individual needs. The nursing care need not be continuous. Often the family members and the hospice team work together to facilitate the role of family and friends as healthcare providers. Caregivers are taught how to care for the patient along with care that is provided by home health aids and skilled nurses. Typically, with this level of care, the nurse monitors the comfort level of the patient and works closely with the physician to adjust the treatment plan as needed. An on-call registered nurse is usually available to provide phone support and make home visits as necessary.

Continuous Home Care: Continuous home care is provided in the patient's home and is often provided during a medical crisis that would otherwise require inpatient admission. For example, patients with dyspnea, delirium, or pain may receive 24-hour nursing services temporarily until they are stable. A minimum of eight hours of primarily nursing care is required, half of which must be provided by a registered nurse, licensed practical nurse or nurse practitioner. The nursing care need not be continuous. Homemaker or home health aid services may also be provided to supplement nursing care. Nursing care in the hospice setting includes, but is not limited to skilled care for pain and symptom control. Hospice medical directors can make home visits during this time as needed.

Inpatient Respite Care: Inpatient respite care is short-term care (i.e., five days or less per benefit period) that is provided to relieve family members and other unpaid caregivers who care for the patient in their private residence. Respite care may be provided in a hospice facility, hospital or nursing home.

General Inpatient Care: General inpatient hospice care is provided in an inpatient setting for the purpose of managing symptoms or to perform procedures for pain control that cannot be performed in other settings. The

inpatient services may be provided in a hospice inpatient facility, hospital facility, or nursing facility under the arrangement of a hospice agency.

Hospice Services

Patients who may benefit from hospice services include those who are terminally ill (i.e., life expectancy is six months or less) and who require services for the palliation or management of the terminal illness and related conditions. The physician must certify (i.e., validate) that the patient is terminally ill and has a life expectancy of six months or less to live, if the disease follows its expected course. Certification from the physician is generally based on the physician's or medical director's clinical judgment regarding the normal course of the patient's illness. Additionally, since making medical prognostications is not always exact, documentation in the medical records must support the physician's clinical judgment. The following clinical prognostic indicators have been identified as general predictors of end-stage illness (Royal College of General Practitioners [RCGP], 2008), and may be included in the medical record:

- multiple comorbidities with no primary diagnosis
- greater than 10% weight loss over six months
- general physical decline
- serum albumin < 2.5 g/dL
- reduced performance status (e.g., Karnovsky score < 50%)
- dependence in most activities of daily living

If the patient lives longer than six months duration it is not necessary to terminate coverage of hospice services. In the event patient survival is longer than six months, the physician recertifies that the patient is terminally ill in order for hospice benefits to continue.

Once a patient is certified as terminally ill with six months or less to live and elects hospice services, an initial plan of care is established, and all treatment of the patient's terminal illness is provided by or through the hospice. Appropriate, qualified personnel perform all services.

Hospice programs use medications for symptom control and pain relief, in addition to medical equipment and supplies to assist in making the patient as comfortable and pain-free as possible. Hospice care services do not include treatment that is curative or life-prolonging (i.e., life-sustaining), or treatment that is not related to the terminal illness. Hospice care services may include any of the following:

Nursing Care: These services must require the skills of a registered nurse or a licensed practical nurse under the supervision of a registered nurse, and must be reasonable and necessary for treatment of the patient's illness or injury. Nursing care also includes services provided by a nurse practitioner who is not considered the patient's attending physician.

Medical Social Services: These services are provided by a social worker who is working under the direction of the physician.

Physician Services: The physician services of the hospice medical director or physician member of the interdisciplinary team must be performed by a doctor of medicine or osteopathy.

Attending Physician Services: The attending physician is a doctor of medicine or osteopathy or a nurse practitioner, and is identified by the patient at the time hospice care is elected as having the most significant determination and delivery of the patient's medical care. Nurse practitioners cannot certify or recertify a terminal illness or provide a prognosis of six months or less.

Counseling Services: Counseling services, including dietary counseling and bereavement, may be provided.

Short-term Inpatient Care: General inpatient care may be required for symptom management and pain control that cannot be provided in other settings. Inpatient care may be required for medication adjustment, observation or stabilizing treatment, such as psychosocial monitoring, or for a patient whose family is unwilling to permit needed care to be furnished in the home.

Medical Appliances and Supplies: These services include medical appliances and supplies, drugs and biologicals used by the hospice team primarily for the relief of pain and symptom control related to the patient's terminal illness.

Home Health Aide Services: Trained home health aides, under the supervision of a registered nurse, may provide personal care services and/or perform household services to ensure a safe and sanitary environment in the home.

Physical, Occupational and Speech Therapy: These services may be provided for purposes of symptom control or to enable the patient to maintain basic functional skills and activities of daily living.

In addition to hospice care services, specific disease treatment may be required for a secondary illness. These treatments may be considered life-prolonging; however, they often eliminate adverse symptoms such as shortness of breath, physical fatigue and edema. Essentially, some treatments may be both disease-modifying and palliative (Smucker, 2004). Hospice organizations may allow patients to receive treatments such as palliative radiation or chemotherapy, blood transfusion or even surgery, if necessary to control symptoms.

Discharge from Hospice Services

Discharge from hospice may be appropriate in some situations. If the hospice team determines the patient is no longer considered terminally ill, discharge from hospice is appropriate. In addition, hospice discharge may also be appropriate if the patient refuses services or is uncooperative, moves out of the area, or transfers to another hospice program. In the event a patient is discharged from hospice, benefit coverage would be available under core medical benefits as long as the patient remained eligible for coverage of medical services. It is recommended that the hospice program have a discharge planning process taking into account the possibility a patient's condition may stabilize or change, and hospice services would no longer be required. It is recommended that the patient and family are notified that a discharge is being considered in order to allow for necessary arrangements. Prior to discharge, the hospice must obtain a written physician discharge order from the hospice medical director.

Use Outside of the US: Countries including but not limited Australia, Canada and the United Kingdom have developed guidelines involving the use of an interdisciplinary team for the provision of palliative and/or hospice care services. The content of the various guidelines differ and no formal requirements to follow the guidelines were found. However, adherence to the guidelines when/where possible is highly recommended by the respective healthcare organizations.

Summary

Hospice programs, aimed at providing palliative and supportive care services, include physical, psychological, social, and spiritual care for dying persons, their families, and other loved ones. Hospice care is comprehensive and coordinated palliative care that is provided in the final stages of life and allows the patient to remain at home for as long as possible by providing support to the patient and family, and keeping the patient as comfortable as possible while maintaining the patient's dignity and quality of life. Patients who may benefit from hospice services include those who are terminally ill (i.e., life expectancy is six months or less) and who require services for the palliation or management of the terminal illness and related conditions.

Coding/Billing Information

Note: 1) This list of codes may not be all-inclusive.

2) Deleted codes and codes which are not effective at the time the service is rendered may not be eligible for reimbursement.

Covered when medically necessary:

HCPSC Codes	Description
G0151	Services performed by a qualified physical therapist in the home health or hospice setting, each 15 minutes

G0152	Services performed by a qualified occupational therapist in the home health or hospice setting, each 15 minutes
G0153	Services performed by a qualified speech-language pathologist in the home health or hospice setting, each 15 minutes
G0154	Direct skilled nursing services of a licensed nurse (LPN or RN) in the home health or hospice setting, each 15 minutes
G0155	Services of clinical social worker in home health or hospice settings, each 15 minutes
G0156	Services of home health/hospice aide in home health or hospice settings, each 15 minutes
G0162	Skilled services by a registered nurse (RN) for management and evaluation of the plan of care; each 15 minutes (the patient's underlying condition or complication requires an RN to ensure that essential nonskilled care achieves its purpose in the home health or hospice setting)
G0163	Skilled services of a licensed nurse (LPN or RN) for the observation and assessment of the patient's condition, each 15 minutes (the change in the patient's condition requires skilled nursing personnel to identify and evaluate the patient's need for possible modification of treatment in the home health or hospice setting)
G0164	Skilled services of a licensed nurse (LPN or RN), in the training and/or education of a patient or family member, in the home health or hospice setting, each 15 minutes
G0337	Hospice evaluation and counseling services, preelection
Q5001	Hospice or home health care provided in patient's home/residence
Q5002	Hospice or home health care provided in assisted living facility
Q5003	Hospice care provided in nursing long-term care facility (LTC) or nonskilled nursing facility (NF)
Q5004	Hospice care provided in skilled nursing facility (SNF)
Q5005	Hospice care provided in inpatient hospital
Q5006	Hospice care provided in inpatient hospice facility
Q5007	Hospice care provided in long-term care facility
Q5008	Hospice care provided in inpatient psychiatric facility
Q5009	Hospice or home health care provided in place not otherwise specified (NOS)
Q5010	Hospice home care provided in a hospice facility
S0255	Hospice referral visit (advising patient and family of care options) performed by nurse, social worker, or other designated staff
S9126	Hospice care, in the home, per diem

Revenue Codes [†]	Description
0651	Hospice service-routine home care
0652	Hospice service-continuous home care
0656	Hospice service-inpatient general care (non-respite)
0657	Hospice service-physician service
0658	Hospice service-hospice room & board-nursing facility
0659	Hospice service-other hospice service

*Current Procedural Terminology (CPT®) © 2013 American Medical Association: Chicago, IL.

† Copyright © 2013 American Hospital Association

Copyright for the members of the National Uniform Billing Committee (NUBC) by the American Hospital Association (AHA).

References

1. American Cancer Society. What is hospice care. Making treatment decision. Revised March 18, 2011. Copyright 2014 © American Cancer Society, Inc. Accessed February 11, 2014. Available at URL address:
http://www.cancer.org/docroot/ETO/content/ETO_2_5X_What_Is_Hospice_Care.asp?sitearea=ETO
2. Centers for Medicare and Medicaid. Medicare Benefit Policy Manual. Ch 9. Coverage of hospice services under hospital insurance. Revision 156, 06/01/2012. Accessed February 11, 2014. Available at URL address: <http://www.cms.hhs.gov/manuals/Downloads/bp102c09.pdf>
3. Department of Health and Human Services. Centers for Medicare and Medicaid. 42 CFR Part 418. Medicare and Medicaid Programs: Hospice Conditions of Participation. Federal Register. Vol 70, No. 224. November 22, 2005. Final rule. Accessed February 11, 2014. Available at URL address:
<http://edocket.access.gpo.gov/2005/pdf/05-23078.pdf>
4. Fine PG, Davis D. Hospice: Comprehensive care at the end of life. *Anesthesiology Clin N Am*. 2006 Mar;24(1):181-204.
5. Fischberg D, Meier DE. Palliative care in hospitals. *Clin Geriatric Med*. 2004 Nov;20(4):735-51, vii.
6. Gruenewald DA, White EJ. The illness experience of older adults near the end of life: a systematic review. *Anesthesiol Clin North America*. 2006 Mar;24(1):163-80.
7. Herbst L. Hospice care at the end of life. *Clin Geriatr Med*. 2004 Nov;20(4):753-65,vii.
8. Miller SC, Teno JM, Mor V. Hospice and palliative care in nursing homes. *Clin Geriatric Med*. 2004 Nov;20(4):717-34.
9. National Consensus Project for Quality Palliative Care. Clinical practice guidelines for quality palliative care. Second edition, 2009. © 2004-2010, National Consensus Project for Quality Palliative Care. Accessed February 11, 2014. Available at URL address:
http://www.nationalconsensusproject.org/Guidelines_Download.asp
10. National Hospice and Palliative Care Organization (NHPCO). NHPCO's 2013 Facts and Figures on Hospice. Updated 2013. Accessed February 11, 2014. Available at URL address:
<http://www.nhpc.org/i4a/pages/index.cfm?pageid=3274>
11. Ngo-Metzger Q, McCarthy EP, Burns RB, Davis RB, Li FP, Phillips RS. Older Asian Americans and Pacific Islanders dying of cancer use hospice less frequently than older white patients. *Am J Med*. 2003 Jul;115(1):47-53.
12. (No authors listed). Medical guidelines for determining prognosis in selected non-cancer diseases. The National Hospice Organization. *Hosp J*. 1996;11(2):47-63.
13. Royal College of General Practitioners. Prognostic indicator guidance. Version 1.24. July 2008. Accessed February 11, 2014. Available at URL address:
http://www.rcgp.org.uk/pdf/CIRC_Prognostic_Indicator_Guidance_Paper_v28_July08.pdf
14. Shugarman LR, Lorenz K, Lynn J. End-of-life-care: An agenda for policy improvement. *Clin Geriatric Med*. 2005 Feb;21(1):57-78, vii.
15. Smucker D. Hospice and the continuum of primary care. *Clin Fam Pract*. 2004 Jun;6(2):299.
16. Stoneberg JN, von Guten CF. Assessment of palliative care needs. *Anesthesiol Clin North America*. 2006 Mar;24(1):1-17.
17. Zambroski CH, Moser DK, Roser LP, Heo S, Chung M. Patients with heart failure Abraham J. Hospice Care. In: Abeloff: Clinical Oncology, 3rd ed. Copyright © 2004 Churchill Livingstone. Caring for patients at the end of life. Chapter 43.

The registered marks "Cigna" and the "Tree of Life" logo are owned by Cigna Intellectual Property, Inc., licensed for use by Cigna Corporation and its operating subsidiaries. All products and services are provided by or through such operating subsidiaries and not by Cigna Corporation. Such operating subsidiaries include Connecticut General Life Insurance Company, Cigna Health and Life Insurance Company, Cigna Behavioral Health, Inc., Cigna Health Management, Inc., and HMO or service company subsidiaries of Cigna Health Corporation.